

READY TO RACE
»www.ktm.com

FOR INNOVATIONS SEE

www.ktm.com

Always consult your local authorized KTM dealer for the range of conversion parts, replacement parts, necessary mounting parts, as well as any and all part options for your particular KTM model.

KTM WILL NOT BE HELD LIABLE FOR IMPROPER INSTALLATION OR USE OF THIS PRODUCT. Please follow all instructions provided. Professional advice and proper installation of the KTM PowerParts by an authorized KTM dealer are essential to provide maximum safety and functions.

KTM North America reserves the right to alter or discontinue without replacement, equipment, technical details, colors, pricing, materials, services, service work etc. without notice and without reason, as well as to cease production of certain models without prior notice. For this reason, we recommend you ask your local authorized KTM dealer for further information before ordering or purchasing a specific model. KTM North America accepts no liability for printing errors.

All of the items in this catalogue have been designed/developed especially for the needs and demands of offroad motorsport. This is why only those PowerParts, where it is explicitly stated to that effect, are approved for use in traffic ("homologated for street use").



KTM POWERPARTS

KTM POWERWEAR

KTM ORIGINAL SPARE PARTS

KTM RIDE ORANGE



* U 6 9 1 2 P P 0 *



© 2011 KTM North America, Inc. KTM is a registered trademark of KTM North America, Inc.

KTM North America Inc.
1119 Milan Ave Amherst, OH 44001
38429 Innovation Court Murrieta, CA 92563
1375-1 Marie Victorin, St. Bruno, Quebec J3V 6B7
www.facebook.com/ktmusa www.twitter.com/ktmusa



POWERPARTS OFFROAD 2012



Photo: R. J. Barbanti, P. Hoppner, P. Fritsch, H. Mitechbauer, radeye, R. Saeed, M. Kanjya, A. Campbell, A. Booth

MADE IN AUSTRIA



READY TO RACE
»www.ktm.com

POWERPARTS 2012 OFFROAD



<i>SXS CARBON PARTS</i>	6	<i>WHEELS</i>	82
<i>SXS SUSPENSION</i>	8	<i>CHAINS</i>	86
<i>SXS ENGINE PARTS</i>	16	<i>SPROCKETS</i>	88
<i>SXS EXHAUST 2-STROKE</i>	26	<i>BRAKES</i>	90
<i>SXS EXHAUST 4-STROKE</i>	30	<i>BRAKING DISCS</i>	96
<i>HANDLEBAR & INSTRUMENTS</i>	36	<i>COOLING SYSTEM</i>	98
<i>LEVERS</i>	48	<i>ENGINE PROTECTION 2-STROKE</i>	100
<i>HEADLAMP</i>	50	<i>ENGINE PROTECTION 4-STROKE</i>	104
<i>PLASTIC PARTS</i>	52	<i>AIR FILTER</i>	108
<i>DECALS</i>	60	<i>TRAVELING</i>	112
<i>SEATS</i>	72	<i>MINI</i>	114
<i>TANKS</i>	74	<i>ATV</i>	126
<i>WHEELS SMR</i>	78	<i>TOOLS</i>	138

All of the items in this catalogue have been designed/developed especially for the needs and demands of offroad motorsport. This is why only those PowerParts, where it is explicitly stated to that effect, are approved for use in traffic ("homologated for street use").

KTM riders are connected by much more than just a fascination with offroad motorcycling. Their goal is to lead the pack. And the path to the top is rocky, dusty and anything but easy. The more extreme the route and the tougher the competition, the more your performance, your talent and your commitment count. You are the only one who can optimize your own performance.

WWW.KTM.COM

POWERPARTS

THE FASTEST CHOICE: POWERPARTS ONLINE.
Click onto the world of KTM PowerParts. The special search function guarantees you a fast overview of the parts available for your bike. Simply select the model type and year of construction and find out how you can make your KTM even lighter, more powerful and more individual.

YOUR PARTS AND MORE!

SXS CARBON PARTS

U690.8895

XC-F 250 07
XCF-W 07-11

U690.8896

SX-F 250 07-10
XC-F 250 08-09

U691.0062

SX-F/XC-F 250 11-12
XCF-W 250 12

U691.0063

SX-F/XC-F 350 11-12
XCF-W 350 12

CARBON HEADER GUARD

Great protection for your exhaust pipe. The Carbon/Kevlar composite material helps prevent damage from rocks and debris.

503.05.009.510

FOR 125 EXHAUST PIPE 503.05.009.500

503.05.909.510

FOR 125 EXHAUST PIPE 503.05.107.000

CARBON PIPE GUARD

Great protection for your exhaust pipe. The Carbon/Kevlar composite material helps prevent damage from rocks and debris.

U690.7831

85/105 EXHAUST PIPE 470.05.007.100

U690.9867

XC/XC-W 200 06-12

U690.7832

250/300 EXHAUST PIPE 548.05.009.200,
548.05.007.100 & 548.05.007.300

U690.8892

FOR 250/300 SXS EXHAUST PIPE SXS.08.300.500

CARBON PIPE GUARD

Great protection for your exhaust pipe. The Carbon/Kevlar composite material helps prevent damage from rocks and debris.

SXS.11.300.510

FOR EXHAUST 548.05.107.000 AND SXS.11.300.500

CARBON PIPE GUARD

Great protection for your exhaust pipe. The Carbon/Kevlar composite material helps prevent damage from rocks and debris.

U690.7834

FOR 48 MM FORKS

CARBON FORK GUARDS

Provide protection to your forks while adding style. Lightweight and extremely durable. Fits 48 mm Forks.

SXS.07.250.030

SX/XC/XC-W 250/300 08-12

SXS.11.350.030

SX-F/XC-F/XCF-W/EXC 350 11-12

CARBON CLUTCH COVER PROTECTION

Prevents damage from rocks and debris.

SXS.04.125.100

SX 03-10
SMR 03-11

SXS.11.450.100

SX-F 450 11-12
SX 2-STROKE 11-12

CARBON FUEL TAP PROTECTION

Carbon fuel tap protection taken from the factory team. Prevents damage from rocks and debris.



SXS SUSPENSION

1418.7D1602
SX-F 450/505 07-10

1418.7D1502
SX/SX-F/XC-F 250 07-10
EXC/XC-W 400/450/530 08-11

SXS FACTORY FORK

The SXS motocross closed cartridge front fork is a result of the teamwork from championship riders, race engineers and the WP development department. The SXS front fork has multi-adjustable rebound and compression damping from the outside. All parts have a high performance finish to eliminate friction and to guarantee optimum lubrication.

- Polished springs.
- Inner tubes are coated and polished.
- Polished and coated aluminum piston rod.
- Hard anodized CNC machined parts.

The SXS front fork is fully dismountable and internally serviceable. It is possible to modify internal settings to create individual preferred damping performance. Supermoto front fork: technical construction according to the motocross fork, but with supermoto race-setting for medium to fast riding speeds. For the brake system please use a radial brake caliper of the SMR models (e.g. 586.13.015.044) Works best in combination with the SXS factory shock.

1218.7D12
SX-F/XC-F 450/505 07-10

1218.7D13
SMR 08-11

SXS PDS FACTORY SHOCK

This high-end shock absorber is the same as the ones used by the KTM factory bikes competing in the off-road world-championships. This suspension unit contains all external adjusting options:

- Separate adjustable high- and low speed compression damping.
- Rebound damping adjuster.
- Adjustable spring preload.

The SXS shock absorber is assembled from quality parts with a high performance finish like a titan-nitride coated piston rod, and hard anodized 7075 aluminum parts. This shock is completely serviceable and offers the possibility to fine tune internal settings conform to personal riding preferences. Works best in combination with the SXS front fork.



R140.20
FOR ALL 48 MM FORKS

FORK MAINTENANCE KIT


Includes all necessary parts to maintain your forks. The special friction optimized parts will reduce stiction and provide better response and feel.

1418.7K91
CLOSED CARTRIDGE 48 MM FORKS

SXS SUSPENSION KIT

Upgrade the internals of your fork to SXS factory performance. The suspension kit includes friction optimized parts which use special coatings and are manufactured with the tightest tolerances. This kit also includes the special adjusting mechanism for the rear shock which is also used by the factory riders. This will ensure a balanced chassis adjustment. This kit retains the original fork springs. Recommended setting list also included.

SXS SUSPENSION



5200.0090
ALL USD FORKS Ø 48 MM (A)
5200.0091
ALL USD FORKS Ø 48 MM (B)

FORK PROTECTION STICKER SET
Extra thick material, protects your fork against roost and debris.



SXS.08.300.040
FOR ALL 48 MM FORKS

SXS KNOB ADJUSTER SET
CNC machined aluminum.

773.12.066.000
CLOSED CARTRIDGE

FORK AIR PUMP
Use this tool when you need to fine-tune your closed cartridge forks. The fork-pump allows you to adjust the pressure of the compression damping accurately.



4860.0074.S9
XC-W/EXC 07-12

PRE-LOAD ADJUSTER SET
Preload can be adjusted with ease.



780.04.905.000
SX 08-10
EXC/XC 08-11
SX-F 450 07

772.04.905.000
SX/XC 11-12
XC-W/EXC 12

PRE-LOAD ADJUSTER REAR SHOCK

Make on the fly pre-load adjustments with just a T wrench. Some advantages of the adjuster are:
- mechanical drive mechanism
- full thread range can be used
- quick adjustments between motos
- light weight
To install the pre-load adjuster, the shock must be disassembled.



U690.9807
CLOSED CARTRIDGE
SX/XC 07-12

SCREW CAP REMOVAL TOOL

This is the tool you need to remove and install the screw cap from your fork caps. Fits all KTM WP closed cartridge forks.



595.04.090.050

NEOPRENE PDS PROTECTOR
Increases the lifespan of the PDS lower bearings.



SXS.08.125.610

BLEEDER VALVE SET
Designed specifically for WP Forks, the bleeder valves allow quick and accurate removal of unwanted air inside your fork legs.



780.01.095.000 ALL USD Ø 48 MM

NEOPRENE FORK COVER
The perfect neoprene protection for your forks, for use with closed fork protection.



SXS.11.540.100
SX FOUR SCREW 08-12

SXS.05.540.100
SX 03-07
SMR TWIN SCREW 03-12



FACTORY START
Give yourself the holeshot advantage. The Factory Start compresses the forks allowing a forward weight bias and better traction during race starts.



595.01.095.000 ALL USD Ø 48 MM

595.01.095.100 ALL USD Ø 43 MM

NEOPRENE FORK COVER
The perfect neoprene protection for your forks, for use with open fork protection.

SXS SUSPENSION



594.01.039.044 37 MM

594.01.039.144 47 MM

HANDLEBAR SUPPORT
Available in 2 different heights.



595.01.039.244 28 MM

595.01.039.144 22 MM

FACTORY HANDLEBAR SUPPORT
Three possible height adjustments, 28 mm, 37 mm, 46 mm, available for handlebar diameter 28 mm, and for handlebar diameter 22 mm.

SXS.07.125.200
SX/XC/XC-W/EXC/SMR

PHDS PROGRESSIVE HANDLEBAR DAMPING SYSTEM
Advantages:
- Headshake and hard hits dampened
- Vibrations from chassis and engine absorbed
- Handlebars additionally damped in horizontal direction
- Optimal steering precision
- Handlebar height adjustable in 2 positions
- Protects the hand and shoulder joints
- Individual set-up possible due to the selection of different damping elements supplied
- CNC-machined
PHDS bar pad: SXS.07.250.800. PHDS can be not mounted when steering damper (585.12.050.000 or 585.12.050.100) is being already used.



U690.9816

SX 01-06
XC/XC-W/EXC 01-07
SX/XC 11-12
XC-W/EXC 12

STEERING STABILIZER ZZ POST MOUNT
To be used with U690.9815.



U690.9817

SX/XC 07-10
XC-W/EXC 08-11

STEERING STABILIZER FLUSH POST MOUNT
To be used with U690.9815.



U690.9815
SX/XC/XC-W/EXC

STEERING STABILIZER
High quality billet construction and used by the top off road pros. Version 4. Raises the bar height by 13 mm. Post mount sold separately.



772.12.905.344

POST MOUNT FOR STEERING DAMPER
To be used with 585.12.050.100.



585.12.050.044
FORGED TRIPLE CLAMP 03-07

585.12.050.144
MACHINED TRIPLE CLAMP
ALL SX/XC/XC-W/EXC 12

585.12.050.544
SXS TRIPLE CLAMP


585.12.050.444
SMR TRIPLE CLAMP

CLAMP FOR STEERING DAMPER



585.12.050.100

STEERING DAMPER
Under the bar stabilizer with three fully adjustable circuits. Has an adjustable damping control that allows 25 adjustment clicks while riding. Allows you to adjust the amount of degrees of damping you want from center line. Has a "High Speed Circuit" designed to absorb those sharp edged jolts. Successfully works for every type of off-road application. Used by factory teams around the world.



SXS SUSPENSION

SXS.10.450.460 ■
SX/XC/XC-W/EXC

SXS.11.450.460 ■
SX/XC/XC-W/EXC

FACTORY TRIPLE CLAMP
CNC machined, easily adjustable offset 19 or 22 mm. The fork or front wheel does not need to be removed for the offset to be changed. Set includes pivot tube and lower bearing. When mounted on an SX-F 450 2010-12 only the 22 mm offset position must be used to avoid contact with the header pipe under full compression.

772.01.999.022/04 ■
SX/XC/XC-W/EXC 22 MM OFFSET

772.01.999.022/30 ■
SX/XC/XC-W/EXC 22 MM OFFSET

TRIPLE CLAMP
CNC machined. Set includes pivot tube and lower bearing.



SXS ENGINE PARTS

SXS.08.450.235

XC-W/EXC 400/450/530 08-11

SXS.07.450.235

SX-F/XC-F 450/505 07-12
SMR 450 08-12

SXS.11.350.235

SX-F/XC-F 350 11-12
XC-W/EXC 350 12

SXS.11.250.235

SX-F/XC-F 250 09-12
XCF-W 250 09-12

SXS.12.450.235

XC-W/EXC 450/500 12

SXS CLUTCH COVER OUTSIDE
Black anodized, CNC machined clutch cover with laser etched KTM Racing logo.



SXS.09.300.245

SX/XC/XC-W 250 07-12
XC/XC-W 300 08-12

SXS CONTROL COVER
Orange anodized, CNC machined billet covers make your engine look great.

SXS.07.450.245

SX-F/XC-F 450/505 07-12
SMR 450 08-12

SXS RETAINING PLATE
Orange anodized, CNC machined billet covers make your engine look great. 1 piece.



SXS.07.450.255

XC-F-W/EXC 400/450/530 09-11
SX-F/XC-F 350/450/505 07-12
350 XC-F-W/EXC 12

750.38.041.100

XC-W/EXC 450/500 12

FACTORY OIL FILTER COVER
Orange anodized, CNC machined billet covers make your engine look great.



SXS.05.450.200

SX/XC/XC-W/EXC/SMR

SXS OIL PLUG
Orange anodized CNC machined aluminum.

772.30.002.060 / 04

SX-F/XCF 250/350/450/505 07-12
XCF-W/EXC 250/350 12
450 SMR 08-12

FACTORY IGNITION COVER PLUG



SXS.07.450.265

XC-W/EXC 350/400/450/500/530 08-12
SX-F/XC-F 350 11-12

SXS OIL PUMP COVER
Orange anodized, CNC machined billet covers make your engine look great.



SXS.10.450.265

SX-F/XC-F 450/505 07-12
450 SMR 08-11

FACTORY PRESSURE PUMP COVER



U695.1157

EXC 250/400/450/525 99-07
SX-F 450/525 00-06
SX-F 250 06-12
XCF 250 07-09
XC-F-W 250 07-12
SMR 450/560 04-07

FACTORY OIL FILTER COVER
Orange anodized, CNC machined covers make your engine look great.



SXS ENGINE PARTS

771.12.946.044
SX-F 250 12

**KICKSTARTER
+ E-STARTER**

KICKSTART KIT SPORT
This kit includes all necessary parts to add the kick start function to your SX-F 250/350. The combination of kick start and e-start function gives you the piece of mind knowing that you can get the bike running quickly in every situation.



771.12.946.244
SX-F 250 12

KICKSTART KIT RACE
With the kick start race kit, all the parts are included to remove the electric starter and go kickstart only. This kit is for riders looking for maximum weight savings.

**KICKSTARTER
+++ ONLY +++**



772.12.945.044
SX-F 350 11-12

KICKSTART KIT SPORT
This kit includes all necessary parts to add the kick start function to your SX-F 250/350. The combination of kick start and e-start function gives you the piece of mind knowing that you can get the bike running quickly in every situation.



**KICKSTARTER
+ E-STARTER**

771.12.945.044
SX-F 250 11

ELECTRIC START KIT
For all riders who want an electric start button. Battery not included.



SXS.09.505.000
SX-F 450 07-12

505 SXS KIT



SXS.09.280.000
SX-F 250 06-10
XC-F-W 250 07-11

280 SXS KIT
Big Bore Kit, for more torque and more power.



SXS.08.450.040
SX-F 450/505 07-12
XC-F 450/505 07-09

SXS INNER CLUTCH HUB
CNC machined, less mechanical wear, better response from your clutch.



SXS.10.150.051
SX/XC 144/150 08-12

SXS CYLINDER HEAD
Cylinder head specially developed for sand tracks with high thermal impact. 14.8 ml volume = less compression (standard: 13.8 ml).



SXS.08.450.030
SX-F 450/505 07-12
XC-F 450/505 07-09

HINSON OUTER CLUTCH HUB
CNC machined, less mechanical wear.



SXS ENGINE PARTS

SXS.11.300.000
SX 250 08-11

SXS.12.300.000
SX 250 12

300 SX KIT

Includes all necessary parts to convert a SX 250 top end into a SX 300. For use with standard 250 jetting.

SXS.11.300.100
EXC 250 07-11

SXS.12.300.100
EXC 250 12

300 XC KIT

Includes all necessary parts to convert a XC 250 top end into a XC 300. For use with standard 250 jetting.

SXS.09.570.000
XC-W/EXC 530 08-11

570 SXS KIT

Full 570 cc makes huge amounts of torque and even more top-end power.

SXS.11.250.000
SX-F 250 11-12

SXS FACTORY ENGINE KIT

KTM has a great reputation for the high performance level of the 250 SX-F engine. One more highlight for KTM was the 2010 GP season.

In addition to KTM factory pilot Marvin Musquin many other riders were able to finish in the top 10 or even jump on the podium using KTM's with SXS engines. For 2012 the level of the bikes can be maximized with availability of the KTM Factory-SXS-Kit. Improved performance, higher rpm level and optimal reliability will give your engine the edge for the 2012 race season.

Kit includes following parts:

- | | |
|--------------------|---------------------------|
| 770.30.018.203 | Crankpin |
| 044.30.150.00 | Cover plate B15DIN443-PHR |
| 770.30.018.205 | Pinrim Crankpin |
| SXS.09.250.024 | Conrod 98.0 |
| 771.30.007.100 | I Piston I cpl. D=76mm |
| SXS.08.250.150 | Sliding gear 3/4 gear |
| SXS.08.250.151 | Idler gear 3rd gear |
| 771.36.020.000.M01 | CNC ported cylinder head |
| 770.36.009.544 | Camshaft intake cpl. |
| 770.30.036.000 | Cylinder head gasket |
| 770.30.035.200 | Cylinder base gasket |
| 770.30.025.100 | Gasket for clutch cover |



SXS.11.250.100
SX-F 250 11-12

HIGHLIGHT 2012

SXS PERFORMANCE KIT

The SXS performance kit gives a bump in performance without sacrificing reliability. The kit includes following parts:

- Cylinder head gasket.
- Cylinder base gasket.
- Intake camshaft.

This kit is designed to work in combination with the Akrapovic EVO exhaust system (SXS.08.250.500 + SXS.11.250.502) and the special mapping.

SXS.11.250.200
SX-F 250 11-12

SXS PERFORMANCE KIT COMPLETE


Same as SXS.11.250.100 but with complete Akrapovic Exhaust system (SXS.08.250.500 + SXS.11.250.502).

690.29.096.140
SX-F/XC-F 250/350 11-12

USER SETTING TOOL

This Fuel Injection Management Tool allows you to make fine tuning adjustments on your bike with your laptop. Connect the bike to the laptop and make adjustments according to weather, track conditions and your own personal preferences. The software gives you the possibility to adjust the injection and ignition exactly for every rpm-range. It also has a logging feature to record data for review.

The necessary Software is available for download in the download area on the KTM homepage. www.ktm.com >> Dealer & Service >> Service menu.



SXS ENGINE PARTS



SXS.08.250.035

ALL KEIHIN CARBURETORS

JET NEEDLE REMOVAL TOOL

Easy needle removal.

SXS.08.250.030

KEIHIN CARBURETORS 04-12

SXS ACCELERATION PUMP SPRING

Increase performance of the acceleration pump provides snappier off-idle response.



590.31.017.300

ALL KEIHIN CARBURETORS

FACTORY MIXTURE CONTROL SCREW

Allows you to adjust the mixture without any additional tools.



773.11.053.200

FACTORY BATTERY 4.6 AH

The SXS Lithium Iron Phosphate (LiFePO4) battery is smaller, lighter weight and has a more consistent discharge than the standard lead acid battery. It can be recharged from any level (no memory effect) from a standard battery tender/charger. Plus, the weight is removed from the top of the bike which also helps improve handling. This battery is a full 2lbs lighter than the stock 4 stroke battery (585.11.053.000, 4 Ah) and 1.3 lbs lighter than the stock 2 stroke battery (773.11.053.000, 3 Ah).

773.32.000.100

SX-F 450/505 07-12

SMR 450 09-10

770.32.100.000

SX-F/XC-F 250 07-12

ANTIHOPPING CLUTCH



ANTIHOPPING CLUTCH

This anti-hopping clutch is a must for any ambitious rider. It helps slip the clutch thereby reducing rear wheel chatter under heavy braking and deceleration that can happen during race conditions.

The APTC is a worldwide patented slipper clutch that features a unique hub consisting of two parts connected by a helix profile.

This complex mechanism uses angled layers for additional friction was developed to prevent clutch-slippage: under engine-load this system generates additional pressure on the clutch plates, but when over-running the clutch is able to slip. The power torque feature of the APTC guarantees riders maximum rear-wheel grip during acceleration and anti-hopping during downshifting. By maximizing rider control, the APTC allows for greater speeds going into and coming out of turns.

This design, unlike all other slipper clutches on the market, makes it also much easier to pull the clutch lever (~50% less pressure is required) and eliminates clutch lever vibration, helping the rider save a lot of energy and sparing himself the discomfort of a cramped forearm.

A Supermoto rider could appreciate a better control while braking, without any rear wheel hop even during heavy braking and hard downshifting. The smoother engine output on the ground brought by the power torque characteristic of the APTC allows the rider to open the throttle earlier, for a far more rapid ascent to top speed. The absence of any clutch lever vibration allows the rider, unlike all other slipper clutches on the market, to pull the clutch in the off-road section of the track, for a better control of the bike.

An Enduro rider can in addition appreciate a better control while braking, less vibration and sticking in the clutch lever, which translates to better clutch control, and a lighter perception of the impacts on the rear wheel when hitting rugged terrain before a curve. The light clutch lever load is also a vital anti-fatigue factor in extra long races. He will also note the difference coming from a more constant and stable performance of the clutch under extreme use.

A Motocross rider on the other side will discover a better control while braking, and, especially, a smoother engine output on the ground: this form of traction control allows the rider to open the throttle earlier, for a far more rapid ascent to top speed. The light clutch lever load brings much less fatigue and arm pump, helping the rider to perform more laps without going over the limits.

SXS ENGINE PARTS



548.32.900.000
SX/XC/XC-W/EXC 250/300 04-12

780.32.900.000
XC-W/EXC 400/450/530 08-11

770.32.900.000
SX-F 250 06-12
XC-F/XCF-W 250 07-12

AUTOMATIC CLUTCH
The secret is out, everyone loves the Rekluse Z-Start Clutch! The advantages are well documented: increased traction in any riding situation, less "arm pump" and fatigue, allowing for more aggressive riding. Perfect control of traction by the throttle. By removing the worry of clutch control you can fully concentrate on the track and ride with even more confidence. Due to the soft opening of the centrifugal clutch in lower rpm's, you can not stall the engine and additionally the traction increases dramatically. By adding the optional hand lever (780.13.900.000) for the rear brake, it gives additional control on difficult downhills. From novice to expert level riders, all of our test pilots love this clutch!




551.31.003.044
XC/XC-W 2 STROKE 06-12

CARBURETOR HEATING
The heating kit helps avoid a frozen carburetor during winter riding.



780.13.900.000

LEFT HAND BRAKE KIT
For use with automatic clutch. Allows rear wheel braking with your left hand.



SXS EXHAUST 2-STROKE



SXS.12.150.560

SX 125 04-12
SX/XC 150 09-12

SXS FACTORY SILENCER

Akrapovic has taken the high end materials and precision construction from the 4 stroke silencers and applied it to a 2 stroke silencer. Minimum weight, maximum top-end performance, and a perfect torque curve. It also features a very responsible noise level. Not spark arrested.



SXS.09.300.560

XC/XC-W/EXC 200/250/300 98-10
SX 250 98-10
SX 200 03-04

SXS.10.250.550

XC/XC-W 200/250/300 06-10
SX 250 98-10
SX 200 03-04

SXS.12.250.560

XC/XC-W 200/250/300 11-12
SX 250 11-12

SXS FACTORY SILENCER

Akrapovic has taken the high end materials and precision construction from the 4 stroke silencers and applied it to a 2 stroke silencer. Minimum weight, maximum top-end performance, and a perfect torque curve. It also features a very responsible noise level. Not spark arrested.



SXS EXHAUST 2-STROKE

SXS FACTORY PIPE

The FMF-SXS pipe is the cornerstone of FMF's history. With 35 years of racing experience behind it, this pipe is the industry benchmark. Our philosophy is simple – give you more power. More at the crack of the throttle, more in the meaty part of the powerband and more over the top. FMF was also the first to introduce a nickel plated finish that would not rust. The SXS-FMF pipes are a lasting symbol of FMF's heritage and dedication to performance.

- + Broader, smoother powerband.
- + More tractable power, better throttle control.
- + 19 gauge carbon steel, durable nickel plated finish.
- + Includes O-rings.



SXS.11.144.500

SX 125 04-12
SX/XC 144/150 07-12

SXS FACTORY PIPE



SXS.08.300.500

SX 250 03-10
XC/XC-W/EXC 250/300 04-10

SXS.08.200.500

XC/XC-W 200 07-10

SXS.11.200.500

XC-W 200 11-12

SXS.11.300.500

SX 250 11-12
XC/XC-W 250/300 11-12

SXS FACTORY PIPE

SXS.08.300.550

SX 250 98-10
SX 200 03-04

SXS.11.250.550

SX 250 11-12

SXS FACTORY SILENCER



SXS.11.150.550

SX 125 04-12
SX/XC 150 09-12

SXS FACTORY SILENCER

The FMF-SXS silencer is the benchmark of performance silencers. With its extruded, anodized aluminum canister, integrated mount, formed stainless steel endcaps, mandrel bent stainless steel stinger and Hi-Flo engineering, the FMF-SXS silencer looks and functions like a true Factory exhaust. High quality packing is made to meet KTM standards for performance and durability.

- + Factory performance.
- + Hi-Flo technology.
- + Unbeatable durability.
- + Easily serviced for repacking.

U691.0029

SX 125 04-12
SX/XC 150 09-12

SXS FACTORY SILENCER SA

Spark Arrestor Version.



U690.9832

SX 250 03-10
XC/XC-W/EXC 200/250/300 04-10

U691.0030

SX 250 11-12
XC/XC-W 200/250/300 11-12

SXS FACTORY SILENCER

Spark Arrestor Version

SXS EXHAUST 4-STROKE



SXS.10.450.512

SX-F 250/450/505	07-12
XC-F 250/450/505	07-09
XCF-W 250	07-12
SX-F/XC-F 350	11-12
XCF-W 350/450/500	12
XC-W/EXC 400/450/530	08-12
SX/EXC 250/400/450/525	04-07
SMR	04-12

SXS SLIP-ON FACTORY SILENCER

For this new generation of exhaust system, Akrapovic used top quality materials and components that are the trademarks of "Akrapovic quality". We achieved better results by using greater volume of the titanium muffler outer sleeve and reinforced titanium end cap in order to decrease the noise levels by 2 dB. The inner perforation tube was also modified wrapped in our standard stainless steel mesh and net packing. Akrapovic also redesigned the removable noise insert/spark arrester and managed to significantly improve torque at bottom and midrange rpm as well as smoothed the power curve. All these modifications result in better engine performance, throttle response, power delivery and improved traction.

Highlights:

- Lower noise emissions (-2 db), friendlier deep tone sound;
- Ideal for all who need to use quiet mufflers on MX tracks;
- Removable noise reduction/spark arrester insert;
- Multifunctional use for Enduro, Motocross and Supermoto;
- Weight reduction of 0.53 kg results in better handling;
- Reinforced titanium end cap, double welded brackets and titanium muffler outer sleeve for best durability during extreme off-road use;
- Increase of torque and power;
- Easy and fast installation;
- Akrapovic quality;



SXS EXHAUST 4-STROKE



SXS.07.450.500 TITANIUM
SX-F 450/505 07-12

SXS.07.450.501 STAINLESS STEEL
SX-F 450/505 07-12

SXS FACTORY HEADERS
Mounting only possible with SXS factory silencer.

772.05.907.044 TITANIUM
SX-F/XC-F 350 11-12
XCF-W 350 12

TITANIUM HEADERS
Can only be mounted with slip-on and stock silencer options.

SXS.11.450.502
SX-F 450/505 07-12
SX-F/XC-F 350 11-12
SMR 450 12

SXS TITAN FACTORY SILENCER
The Akrapovic system is designed for motocross riders who are looking for the finest available aftermarket exhaust systems and know how to get the most out of the increased performance on the track. The system comes with the hexagonal design muffler, which goes great with the sharp lines of your KTM. Muffler inserts can be removed. Mounting only possible with SXS factory headers.



SXS.11.350.500 TITANIUM
SX-F/XC-F 350 11-12
XCF-W 350 12

SXS FACTORY HEADERS
With the Factory header including chamber you get more power at lower rpm's. In addition, the chamber also lowers the db output. Mounting possible only with SXS factory silencer.



SXS.11.250.502
SX-F/XC-F 250 06-12

SXS TITAN FACTORY SILENCER
The Akrapovic system is designed for motocross riders who are looking for the finest available aftermarket exhaust systems and know how to get the most out of the increased performance on the track. The system comes with the hexagonal design muffler, which goes great with the sharp lines of your KTM. Muffler inserts can be removed. Mounting only possible with SXS factory headers.



SXS.07.250.500 TITANIUM
SX-F 250 06-12
XC-F 250 07-12
XCF-W 250 07-12

SXS.07.250.501 STAINLESS STEEL
SX-F 250 06-11
XC-F 250 07-12
XCF-W 250 07-11

SXS FACTORY HEADERS
Mounting only with SXS factory silencer is possible.

SXS.07.250.512
SX-F 250 06-11
XC-F 250 07-09
XCF-W 250 07-11

SXS.12.250.512
SX-F/XC-F/XCF-W 250 12

SXS TITAN FACTORY SILENCER
The Akrapovic system is designed for enduro riders who are looking for the finest available aftermarket exhaust systems and know how to get the most out of the increased performance on the track. The system comes with the hexagonal design muffler, which goes great with the sharp lines of your KTM. Muffler inserts can be removed. Mounting only possible with SXS factory headers. Spark Arrested.



SXS.08.250.500 TITANIUM
SX-F 250 06-12
XC-F 250 07-12
XCF-W 250 07-12

SXS FACTORY HEADERS
With the Factory header including chamber you get more power at lower rpm's. In addition, the chamber also lowers the db output. Mounting possible only with SXS factory silencer.



SXS EXHAUST 4-STROKE

SXS.08.450.550 TITANIUM
XC-W/EXC 400/450 08-09

SXS.10.450.550 TITANIUM
EXC 400/450 10-11

SXS.08.530.550 TITANIUM
XC-W/EXC 530 08-11

SXS.12.350.550 TITANIUM
XC-W/EXC 350 12

SXS.12.450.550 TITANIUM
XC-W/EXC 450 12

SXS.12.500.550 TITANIUM
XC-W/EXC 500 12

SXS FACTORY HEADERS

Mounting with SXS factory silencer and original silencer possible.



SXS.12.500.512
XC-F/EXC 250/350/400/450/500/530 08-12
SX-F/XC-F 250/350/450/505 07-12

SXS TITAN FACTORY SILENCER

The Akrapovic system is designed for enduro riders who are looking for the finest available aftermarket exhaust systems and know how to get the most out of the increased performance on the track. The system comes with the hexagonal design muffler, which goes great with the sharp lines of your KTM. Muffler inserts can be removed. Mounting is possible with original headers. This silencer can also be used in conjunction the SXS factory headers on EXC 400/450/500/530 models.

HIGHLIGHT 2012



U691.0051 TITANIUM
SX-F 250 07-10
XC-F 250 07-09

U691.0052 TITANIUM
SX-F/XCF 250 11-12
XCF-W 12

U691.0053 TITANIUM
SX-F/XCF 350 11-12
XCF-W 350 12

U690.7858 TITANIUM
SX-F 450/505 07-11
XC-F 450/505 07-09

FMF FACTORY MEGABOMB HEADER TI

Light weight titanium construction with Mega Bomb for extra power gains. For use with FMF SXS silencers.



U690.9868

XC-W 400 09-10
XC-W/EXC 450 08-11

U690.9874

XC-W/EXC 530 08-11

STAINLESS STEEL POWERBOMB HEADER

This stainless steel header offers a durable option for your exhaust system. The PowerBomb configuration delivers great performance gains and a smooth delivery of power. Recommended for off-road use.



U691.0054

SX-F/XCF 250/350/450 11-12

FMF FACTORY SILENCER 4.1 RCT

This muffler design is the result of the collaboration between KTM USA Motorsports and FMF. Titanium construction saves weight over the stock silencer.

Highlights:

- Patented core shape lowers sound level while maintaining maximum power output.
- Patented canister shape increases internal volume for more sound absorbing material.
- Patented chamber design to enhance and refine exhaust pressure.
- Innovative rear endcap for simple installation of tuning tip inserts or spark arrestor.
- Meets AMA and FIM sound requirements.
- Compatible with stock or FMF headers.
- Spark arrestor insert included.
- Maintenance made easy with the removal of 4 screws on the front endcap.



U691.0057

SX-F 250/450/505 07-10
XC-F 250/450/505 07-09

FMF FACTORY SILENCER

Good power gains throughout the rev range and lightweight design make this the silencer of choice for the US Factory Race Teams.

- Titanium construction.
- Includes sound reduction insert.
- For stock or FMF headers.
- Natural Titanium finish.
- Optional Spark Arrestor available.

SXS.07.250.535

SX-F 250/450/505 07-11
XC-F-W 250 07-12
XCF-W/EXC 400/450/500/530 08-12

SXS.10.450.535

FOR SXS.10.450.550
SX-F/XC-F 350 11-12
XCF-W 350 12

SXS EXHAUST GUARD CARBON

For mounting with SXS headers and original headers. Mounting only possible on headers without chamber.



U695.1379

SX-F 250 05-06
XC/EXC 400/450/525 04-07

U690.8875

SX-F 250/450/505 07-10
XC-F 250/450/505 07-09
XC-W/EXC 450/530 08-11



EXHAUST GUARD

Mounts to the frame and helps to keep you from burning your pants on the exhaust.

SXS.09.450.512

XCF-W/EXC 250/350/400/450/500/530 08-12
SX-F/XC-F 250/350/450/505 07-12

FMF SLIP-ON SILENCER

The FMF slip-on system is a basic level tuning component for Enduro and Motocross. It is an excellent combination of price and performance. Muffler insert can be removed for motocross. Mounting only possible with original headers.



HANDLEBARS & INSTRUMENTS



630.02.021.100

GRIP SET DUAL COMPOUND

KTM dual compound grips combine the durability of KTM Firm Compound Grips with the feel and absorption qualities of the KTM range of softer compound grips. Harder orange compound is used for the flange, inner sleeve and outer end of the grip for maximum durability, whereas softer black compounds are used for the outer diameter of the grip, which is in direct contact with the palm, fingers and thumb.

630.02.021.200

GRIP SET DUAL COMPOUND

Just like 630.02.021.100 but with a premolded hole to accept hand guards or bar ends.

548.02.021.000

GRIP SET HALF-WAFFLE SOFT

Our grips have been designed according to the feedback from our factory race teams. We came up with a grip that helps reduce riding stress, combat blistering on the fingers and the palms of the hands, and to provide a more secure grip.

FEATURES:

- Inclined anatomical shape to ensure palm comfort.
- 2 versions with different materials and colors: light material is soft, dark is medium-soft.
- 3 molded safety wire grooves.
- Half-waffle pattern.
- Anatomical end-piece for lateral hold.



548.02.021.100

GRIP SET HALF-WAFFLE, MEDIUM



U695.1716

GRIP DOUGHNUTS SET

Helps keep those nasty blisters off your thumb.



780.12.016.000

STRAP FRONT



780.12.917.000

SX/XC/XC-W/EXC 04-12

STRAP REAR



HANDLEBARS & INSTRUMENTS



780.02.005.000 / 04 ■

780.02.005.000 / 30 ■

BAR ENDS

Usable for handlebars with inner diameter 14.4 mm.



548.02.005.000



BAR ENDS

Eliminates the need to replace ripped-up grips from typical wear.

548.01.043.012

SX/EXC/SMR 12 MM

548.01.043.020

SX/EXC/SMR 20 MM

HANDLEBAR RISER

Mounting only possible together with handlebar support 590.01.039.100. 12 mm rise.



590.01.039.144

SX/EXC

HANDLEBAR MOUNTING KIT

For mounting 28 mm diameter handlebars instead of 22 mm.



U690.9866

SX/XC/XC-W/EXC

ORANGE RENTHAL HANDLEBAR

Used by championship teams around the world. Orange anodized color available exclusively from KTM. 604 Bend. Dimensions: Height: 99 mm, width: 802 mm, sweep: 54 mm.



U695.1393

TWINWALL RENTHAL HANDLEBAR

Twinwall construction – Consists of two aluminum alloy tubes one within the other – Outer tube is 7010 T73, which has extreme resistance to mechanical damage and is anodized to prevent corrosion. Inner tube is ultra high strength 7010 T6 Aluminum and is hard anodized to resist wear from twist grip and controls. – Rubber seals cover the join to keep out water and cleaning fluids. – Exclusive KTM orange design. – Laser etched positioning grid. – Comes fitted with bar pad. 999 Bend. Height 83 mm, width 805 mm, sweep 55 mm.

HANDLEBARS & INSTRUMENTS

U691.1023
NEKEN

ALUMINUM HANDGUARDS PROBEND
For use with Neken handle bar 780.02.001.000/17.

U691.0026 ■

U691.0027 ■

REPLACEMENT SHIELD SET FOR PROBEND

U695.1375
RENTHAL + NEKEN

U695.1406
MAGURA

U695.1381
SX/XC 65/85

ALUMINUM HANDGUARDS PROBEND

The KTM Pro Bend handguards feature rugged aluminum bars that are shaped to give your hands and levers plenty of space. In addition, they have C shaped mounting brackets for easy routing of cables and hoses. The high impact plastic hand shields have a sleek profile that offers the perfect balance of protection and style.



772.02.002.100
SX/XC/XC-W/EXC/SMR

BAR PAD
Already required in many competitions.



SXS.07.250.800
SX/XC/XC-W/SMR

BAR PAD PHDS
Provides great protection around the triple clamps.



U690.7893

ALUMINUM HANDGUARDS BLACK

Used by the top off road riders around the country these handguards are made from high quality aluminum and finished with tough black anodizing. Mounting clamps are sold separately to ensure the optimized fit for your particular handlebar. Not possible to mount with Twinwall handlebar.



U690.7896 ■

U690.7897 ■

PLASTIC DEFLECTOR SET

These rugged plastic deflectors mate perfectly with the U690.7893 aluminum handguards. Clever mounting system means that installation is simple and no drilling is needed.

U690.7894
RENTHAL + NEKEN

U690.7895
MAGURA

U691.0015
NEKEN

ALUMINUM CLAMPS EASY ROUTE

Designed to match the U6907893 handguard. The curved shape of the clamp allows plenty of room to route cables and hoses. Three different tapers available for the perfect fit. Note: Some models of KTM now come stock with tapered Neken handlebar 780.02.001.000/17. Use the U691.0015 clamp set.



770.02.079.000/04

SX/EXC	00-08
SX/XC/XC-W 250/300	09-12
XC-W/EXC 350/400/450//500/530	09-12
XCF-W 250	09-12

770.02.079.100/04

SX 125/144/150	09-12
XC-W 200	09-12
SX-F 450/505	09-12

HANDGUARDS

With their split segments, these KTM handguards offer a lightweight and uncompromising racing look with the signature KTM design. Two-component injection molding technology is used, offering protection for your most important "operating controls" – your hands – in the most critical situations. The black mid-section provides maximum strength, ensuring optimum protection. The orange top and bottom segments are extremely flexible for better durability. Not usable for Renthal Twin Wall handlebars.

HANDLEBARS & INSTRUMENTS



- 781.02.979.000/04
- 781.02.979.000/28
- 780.02.079.000/30

MX HANDGUARDS
 With their split segments, these KTM handguards offer a lightweight and uncompromising racing look with the signature KTM design. Two-component injection molding technology is used, offering protection for your most important "operating controls" – your hands – in the most critical situations. The black mid-section provides maximum strength, ensuring optimum protection. The orange top and bottom segments are extremely flexible for better durability. Not usable for Renthal Twin Wall handlebars.



781.11.999.000
 EXC 12

IGNITION ELIMINATOR PLUG
 Allows the removal of the keyed ignition on EXC models.



772.39.974.000
 SX-F/XC-F 250/350 11-12

515.39.974.000
 2-STROKE

MAP SWITCH
 Now you can change pre-set ignition maps right from the handlebar on the fly. This rugged billet piece takes the place of the top brake reservoir clamp, so the switch doesn't take up any extra room on the handlebars. Secure positioning switch ensures that you don't accidentally bump to a different map. Please be sure to read the instruction manual.



- 602.02.179.000/04
- 602.02.179.000/28
- 602.02.179.000/30
- 780.02.979.000/04
- 780.02.979.000/28

2 K ENDURO HANDGUARDS
 Newly designed hand guard in a two component injection molding technology. The black mid-section provides maximum strength throughout the handguard, ensuring optimum protection of the levers, the orange segment is more flexible for better durability.



HANDLEBARS & INSTRUMENTS

SXS.05.450.600

HOURLMETER

A great tool that will help you keep your KTM properly maintained.



590.02.025.200

SX-F 450/525 04-06
SMR 04-12
SX-F 450/505 07-12

HOT-START CABLE

No more fiddling under the tank. Assembly only possible on carburetors with hot-start button.



548.14.073.000

EXC 05-12

TRIPMASTER SWITCH

The comfortable solution to use all functions of your dashboard, without removing your hands from the handlebar.



SXS.05.450.644

BRACKET HOURLMETER

Triple clamp mounting bracket for the hourmeter.



451.29.075.000

REV METER

Usable on 4-stroke and 2-stroke engines, displays up to 16,000 rpm.



590.02.025.100

SX-F 450/525 04-06
SX-F 450/505 07-12

HOT-START CABLE

No more fiddling under the tank. Assembly only possible on carburetors with hot-start button.



U695.1345

GRIP HEATERS

Universal fit for most bikes and features a high and low setting. Installation by an experienced KTM Technician recommended.



U691.0016 2-STROKE

U691.0017 4-STROKE

THROTTLE CAM SYSTEM

This throttle includes three different cams and Delrin inserts for super smooth throttle action. The different cams change the characteristics of the throttle response. The U691.0017 has been refined to work efficiently with fuel injected models.





502.12.040.000/30

RACING MIRROR, LEFT
Light and robust.



SXS.05.450.210
SX/XC/XC-W/EXC BREMBO

HAND BRAKE CYLINDER AND HYDRAULIC CLUTCH COVER
CNC machined. Fits on all Brembo hydraulic clutch and brake systems.



SXS.05.450.220
SX/XC/EXC 125-300 2-STROKE 00-08
SX 85/105 03-11
SX 65 02-11

HYDRAULIC CLUTCH COVER
CNC machined. Fits on all Magura hydraulic clutches.



SXS.06.450.230
SX/XC 250-525 4-STROKE BREMBO

HYDRAULIC CLUTCH COVER
CNC machined. Fits on all Brembo hydraulic clutches.



SXS.05.450.230
SX-F/EXC 250-525 00-05 MAGURA
SX-F 450/505 06-08

HYDRAULIC CLUTCH COVER
CNC machined. Fits on all Magura hydraulic clutches.



SXS.09.450.210
125/144/150 SX 09-12
150/200 XC 09-12
450 SX-F 09-12

HYDRAULIC CLUTCH COVER
CNC machined.

LEVERS

780.02.831.200/04 BREMBO
SX/XC/EXC

FLEX CLUTCH LEVER

Precision made lever designed to bend forward in a spill. They have a durable bushing assembly and adjustable lever position that will give the rider the best hand comfort. Fits on all hydraulic Brembo clutch systems. Orange anodized finish.

780.13.802.000 BREMBO
SX/XC/EXC

FLEX BRAKE LEVER SILVER

Precision made lever designed to bend forward in a spill. They have a durable bushing assembly and adjustable lever position that will give the rider the best hand comfort. Fits on all hydraulic Brembo brake systems.



503.02.042.200 MAGURA
SX/XC/EXC 05-08

CLUTCH AND BRAKE LEVER SET

Made of high-strength plastic; lever for hydraulic clutch only fits Magura Version until 08.



780.13.902.000/04 BREMBO
SX/XC/EXC

BRAKE LEVER

Made out of high strength aluminum and orange anodized. Fits on all hydraulic Brembo brake systems.



U695.1397 MAGURA
SX/XC/EXC 98-08

FLEX CLUTCH LEVER

Precision made lever designed to bend forward in a spill. They have a durable bushing assembly and adjustable lever position that will give the rider the best hand comfort. Fits on all hydraulic Brembo clutch systems. Orange anodized finish. Fits on all Magura hydraulic clutch system until model year 2008.

780.13.802.200/04 BREMBO
SX/XC/EXC

FLEX BRAKE LEVER

Precision made lever designed to bend forward in a spill. They have a durable bushing assembly and adjustable lever position that will give the rider the best hand comfort. Fits on all hydraulic Brembo brake systems. Orange anodized finish.



780.02.931.000/04 MAGURA
SX/XC/EXC

CLUTCH LEVER

Made out of high strength aluminum and orange anodized. Fits on all Magura hydraulic clutch system until model year 2008.



780.02.931.100/04 MAGURA
SX/XC/EXC

CLUTCH LEVER

Made out of high strength aluminum and orange anodized. Fits on all Magura hydraulic clutch systems that use the pivoting lever.



780.02.931.200/04 BREMBO
SX/XC/EXC

CLUTCH LEVER

Made out of high strength aluminum and orange anodized. Fits on all Brembo hydraulic clutch systems.



HEADLAMP



548.11.909.000
EXC 05-07

HEADLAMP GRID

For headlight mask 548.08.001.000/04,
548.08.001.000/20 and 548.08.001.000/30.



551.39.904.100
XC/XC-W 250/300 08-12

STATOR KIT

This plug and play kit gives your bike the necessary electrical output to run the X2 HID lighting system. Note: the 551.39.904.100 is only compatible with 2-stroke models with electric start.

780.39.904.000
XC-W/EXC 400/450/530 08-11
XCF-W 250 07-11

STATOR KIT

780.11.909.100/30
EXC 08-12

HEADLAMP GRID

780.14.901.200/30
EXC 350/400/450/500/530 08-12

780.14.901.100/30
XC/XC-W 250/300 08-12
XCF-W 350/400/450/500/530 08-12
XCF-W 250 07-12

X2 LIGHT

Adding HID lighting to your KTM has never been easier. We have removed the guesswork for simple plug and play operation. This light includes a 2" spot light for distance and a 4" driving lamp for great peripheral visibility. Non-EFI bikes should also install a 551.39.904.000 or 780.39.904.000 stator kit. Not DOT approved, off road use only. A great solution for back country riding or 24 hour races. Orange headlight mask decal 780.08.907.000/04 is available.



PLASTIC PARTS



U691.0042 ■

U691.0043 ■

U691.0044 □

SX 07-10
XC 08-10
XC-W/EXC 08-11

PLASTIC KIT

773.06.001.110/04 ■

773.06.001.110/30 ■

773.06.001.110/20 □

SX 07-10
XC 08-10
XC-W/EXC/SMR 08-11

AIR BOX PART RIGHT

773.08.054.100/04 ■

773.08.054.100/30 ■

773.08.054.100/20 □

SX 07-10
XC 08-10
XC-W/EXC 08-11

SPOILER SET

773.08.007.044/04 ■

773.08.007.044/30 ■

773.08.007.044/20 □

SX 07-10
XC/SMR 08-11

START NUMBER PLATE

780.08.001.000/04 ■

780.08.001.000/30 ■

780.08.001.000/20 □

EXC 08-11

HEADLIGHT MASK

773.06.003.000/04 ■

773.06.003.000/30 ■

773.06.003.000/20 □

SX 07-10
XC 08-10
XC-W/EXC/SMR 08-11

AIR BOX COVER

780.08.013.000/04 ■

780.08.013.000/30 ■

780.08.013.000/20 □

SX 07-10
XC 08-10
XC-W/EXC/SMR 08-11

REAR PART

773.08.210.000/04 ■

773.08.210.000/30 ■

773.08.210.000/20 □

SMR 08-11

773.08.010.000/04 ■

773.08.010.000/30 ■

773.08.010.000/20 □

SX 07-11
XC/XC-W/EXC 08-11

FRONT FENDER



PLASTIC PARTS

772.06.004.000/04 ■

772.06.004.000/30 ■

772.06.004.000/28 □

SX 4-STROKE	11
SX	12
SMR	12

AIR BOX PART RIGHT

772.06.004.100/04 ■

772.06.004.100/30 ■

772.06.004.100/28 □

SX 2-STROKE	11
EXC	12

AIR BOX PART RIGHT

772.06.003.000/04 ■

772.06.003.000/30 ■

772.06.003.000/28 □

SX/XC	11-12
XC-W/EXC	12
SMR	12

AIR BOX COVER

772.06.001.044/30 ■

772.06.001.044/28 □

SX/XC	11-12
XC-W/EXC	12
SMR	12

AIRBOX

772.08.054.000/04 ■

772.08.054.000/30 ■

772.08.054.000/28 □

SX/XC	11-12
XC-W/EXC	12
SMR	12

SPOILER SET

773.08.007.044/04 ■

773.08.007.044/30 ■

773.08.007.044/28 □

SX/XC	11-12
XC-W/EXC	12
SMR	12

START NUMBER PLATE

772.08.013.000/04 ■

772.08.013.000/30 ■

772.08.013.000/28 □

SX/XC	11-12
SMR	12

781.08.013.000/04 ■

781.08.013.000/30 ■

781.08.013.000/28 □

XC-W/EXC	12
----------	----

REAR PART

780.08.001.000/04 ■

780.08.001.000/30 ■

780.08.001.000/28 □

XC-W/EXC	12
----------	----

HEADLIGHT MASK

773.08.010.000/04 ■

773.08.010.000/30 ■

773.08.010.000/28 □

SX/XC	11-12
XC-W/EXC	12

773.08.210.000/04 ■

773.08.210.000/30 ■

773.08.210.000/28 □

SMR	12
-----	----

FRONT FENDER





780.01.094.100/04 ■
SX/XC/XC-W/EXC 01-12

780.01.094.100/30 ■
SX/XC/XC-W/EXC 01-12

780.01.094.100/20 □
SX/XC/XC-W/EXC 01-12

780.01.094.100/28 □
SX/XC/XC-W/EXC 11-12

FORK PROTECTION SET



U690.7880 ■
SX 07-10
XC 08-10
XC-W/EXC 08-11

U690.7881 ■
SX 07-10
XC 08-10
XC-W/EXC 08-11

RUBBER-BACKED POLY RESIN FRAME GUARDS

U690.8818
EXC 07-12

EXC LICENSE PLATE HOLDER

Recommended bracket for mounting the license plate on your street legal EXC. Features multiple bolt patterns to plates from any state.



773.35.034.000/04 ■

773.35.034.000/30 ■
SX 07-12
XC/XC-W/EXC/SMR 08-12

RADIATOR PROTECTION

Fits on left and right side.



773.03.094.100
SX 07-10
XC 08-10
XC-W/EXC/SMR 08-11

FRAME PROTECTION SET

Reliably prevents damage to the frame paintwork from dirt, crashes or the rider's boots – it's a heat protection for your pants and boots on the exhaust side.



772.03.094.000/04
SX/XC 11-12
XC-W/EXC 12
SMR 12

FRAME PROTECTION SET ORANGE

Reliably prevents damage to the frame paintwork from dirt, crashes or the rider's boots – it's a heat protection for your pants and boots on the exhaust side.

DECALS

775.08.190.100

SX/XC 11-12
XC-W/EXC 12

GRAVITY GRAPHICS KIT



3PW122921 (XS/54)

3PW122922 (S/56)

3PW122923 (M/58)

3PW122924 (L/60)

3PW122925 (XL/62)

3PW122926 (XXL/64)

GRAVITY-FX HELMET

3PW122752 (S/8)

3PW122753 (M/9)

3PW122754 (L/10)

3PW122755 (XL/11)

3PW122756 (XXL/12)

DEFLECTOR GLOVES

3PW122352 (S)

3PW122353 (M)

3PW122354 (L)

3PW122355 (XL)

3PW122356 (XXL)

GRAVITY-FX SHIRT

3PW122252 (S/30)

3PW122253 (M/32)

3PW122254 (L/34)

3PW122255 (XL/36)

3PW122256 (XXL/38)

GRAVITY-FX PANTS

FOR MORE DETAILED INFORMATION REGARDING THE GRAVITY FX RIDING GEAR PLEASE SEE THE KTM POWERWEAR CATALOG OR VISIT WWW.KTM.COM!



GRAVITY-FX HELMET

GRAVITY-FX SHIRT

DEFLECTOR GLOVES

GRAVITY-FX PANTS

DECALS

775.08.190.000
XC-W/EXC 12

SIXDAYS DECAL SET "FINLAND"



772.08.190.300
SX/XC/XC-F 11-12

FACTORY GRAPHICS KIT



781.08.190.400
XC-W/EXC 08-11

SIXDAYS DECAL SET "MEXICO"
Mexico, 9 parts are included.





U690.7750

SX 05-06
XC/EXC 05-07

USA FACTORY GRAPHIC KIT

U691.1026

SX/XC 11-12
XC-W/EXC 12

USA FACTORY ENDURO GRAPHICS KIT



DECALS



781.08.190.300

SX 07-10
XC 08-10
XC-W/EXC 08-11

FACTORY GRAPHICS KIT



780.08.190.000

SX 07-10
XC 08-10
XC-W/EXC 08-11

FACTORY GRAPHICS KIT



775.08.190.300

EXC 12

FACTORY ENDURO GRAPHICS KIT



DECALS



773.08.190.700

SX/XC 08-10
XC-W/EXC 08-11

RACING GRAPHICS KIT WHITE

U691.0044

SX/XC 08-10
XC-W/EXC 08-11

PLASTIC KIT WHITE

Renew that old plastic with OEM quality plastic. Goes perfect with graphics kit 773.08.190.700. Kit includes front and rear fender, number plate, headlight mask, spoilers, airbox covers and fork guards. Matching seat cover 773.07.940.050 is also available.



773.08.190.800

SX/XC 08-10
XC-W/EXC 08-11

RACING GRAPHIC KIT BLACK

U691.0043

SX/XC 08-10
XC-W/EXC 08-11

PLASTIC KIT BLACK

Renew that old plastic with OEM quality plastic. Goes perfect with graphics kit 773.08.190.800. Kit includes front and rear fender, number plate, headlight mask, spoilers, airbox covers and fork guards. Matching seat cover 773.07.940.050 is also available.



503.08.199.000

SX 98-06
EXC 98-07

UNIVERSAL FACTORY GRAPHICS KIT

This sticker kit allows you to use the latest graphics also on your older KTM. A transparent foil on the sticker with the different outlines for each MY, shows you how to cut it to fit your bike!

780.08.190.500

SX 07-10
XC 08-10
XC-W/EXC 08-11

AKRAPOVIC GRAPHICS KIT



773.07.940.050

SX/XC 08-10
XC-W/EXC 08-11

SEAT COVER






772.08.190.100
SX/XC 11-12

772.08.190.400
XC-W/EXC 12

781.08.190.100
SX 07-10
XC 08-10
XC-W/EXC 08-11

CHROME GRAPHIC KIT BLACK



772.08.190.200
SX/XC 11-12

772.08.190.500
XC-W/EXC 12

781.08.190.200
SX 07-10
XC 08-10
XC-W/EXC 08-11

CHROME GRAPHIC KIT WHITE



U690.7867 ■

U690.7866 ■
SX 07-10
XC 08-10
XC-W/EXC 08-11

U691.0060 ■

U691.0061 ■
SX/XC 11-12
XC-W/EXC 12

FRAME DECALS



DECALS

12345
67890

- 322.100 NR. 0
- 322.101 NR. 1
- 322.102 NR. 2
- 322.103 NR. 3
- 322.104 NR. 4
- 322.105 NR. 5
- 322.106 NR. 6
- 322.107 NR. 7
- 322.108 NR. 8
- 322.109 NR. 9

STARTNUMBERS WHITE
5" high, 3 pieces.

- 322.200 NR. 0
- 322.201 NR. 1
- 322.202 NR. 2
- 322.203 NR. 3
- 322.204 NR. 4
- 322.205 NR. 5
- 322.206 NR. 6
- 322.207 NR. 7
- 322.208 NR. 8
- 322.209 NR. 9

STARTNUMBERS BLACK
5" high, 3 pieces.


- 772.08.088.000/20
- 772.08.088.000/30
- 772.08.088.000/80
- 772.08.088.000/38
- 772.08.088.000/67

NUMBER PLATE BACKGROUNDS
4 parts.




- 780.08.088.000/20
- 780.08.088.000/30
- 780.08.088.000/38
- 780.08.088.000/67
- 780.08.088.000/80

NUMBER PLATE BACKGROUNDS
3 parts.



- 773.08.088.000/20
- 773.08.088.000/30
- 773.08.088.000/38
- 773.08.088.000/80

NUMBER PLATE BACKGROUNDS
3 parts.



- 770.08.998.000
- XC-W/EXC 400/450/530 08-11
- XCF-W 250 08-11

- 770.08.998.100
- XC-W 200/250/300 11
- XC-W 450/530 11
- XCF-W 250 11 TRANSPARENT

- 773.08.998.000
- SX 07-10
- SMR 08-10

- 548.08.998.000
- XC 200/250/300 08-10
- XC-W 200/250/300 08-11

TANKPAD SET

U695.1087

HUB DECAL KIT
4 pieces 37x31 mm, 4 pieces 48x40 mm.



773.01.094.150

FORK PROTECTION STICKER SET
Can be used with closed fork protection.

SEATS



773.07.040.100

SX	07-10
XC	08-10
XC-W/EXC	08-11

772.07.940.000

SX/XC	11-12
XC-W/EXC	12

HIGH SEAT

Specially designed for riders over 1.80 m, approximately 20 mm higher.

780.07.140.000

SX	07-10
XC	08-10
XC-W/EXC	08-11

EXTRA HIGH SOFT SEAT

Specially designed for riders over 6', approximately 35 mm higher.



780.07.140.100

SX	07-10
XC	08-10
XC-W/EXC	08-11

781.07.940.000

SX/XC	11-12
XC-W/EXC	12

EXTR HIGH SEAT

Specially designed for riders over 6', approximately 35 mm higher.

780.07.240.000

SX	07-10
XC	08-10
XC-W/EXC	08-11

772.07.940.200

SX/XC	11-12
XC-W/EXC	12

SOFT SEAT

Soft foam for more comfort, standard height.



773.07.040.200

SX	07-10
XC	08-10
XC-W/EXC	08-11

772.07.940.100

SX/XC	11-12
XC-W/EXC	12

LOW SEAT

Approximately 15 mm lower than standard. Allows shorter riders also to have better control of their motorcycles on difficult terrain.

773.07.140.000

SX	07-10
XC	08-10
XC-W/EXC	08-11

SXS SEAT



780.07.240.100

SX	07-10
XC	08-10
XC-W/EXC	08-11

772.07.940.300

SX/XC	11-12
XC-W/EXC	12

STEPUP SEAT



772.07.940.500

SX/XC	11-12
XC-W/EXC	12

SXS SEAT "WAVE"



780.07.240.200 / 30

SX	07-10
XC	08-10
XC-W/EXC	08-11

772.07.940.400 / 30

SX/XC	11-12
XC-W/EXC	12

SEAT X

Waterproof, anti-slip grip, polished finishing, fully external plastic shell with different grips, internal expanded foam for maximum comfort, washable with pressure washer and with several solvents.



SXS.11.250.700
1/4 TURN VERSION

SXS FUEL TANK CAP
Aluminum, CNC machined, including gasket.

594.31.096.000
SX/SMR 00-10
EXC 00-11

EXPANSION TANK
At most races a catch tank, which all loose hoses must be tucked into, is mandatory for catching any overflowing fuel.



772.31.997.000/04

VENT HOSE
Petrol resistance, perfect for tank and carburetor ventilation, approx. 3 meters long. Should not be used as supply line.



U695.1010

SXS FUEL TANK CAP VENT



TANKS

774.07.995.044 / 99
 SX-F 250/350 11-12

9.5 L TANK
 Includes the fuel pump, tank and supply line.

780.07.013.333 / 99
 SX 07-10
 XC 08-10
 XC-W/EXC 08-11

11.5 L TANK
 Including tankcap and fuel cock.



U690.8817

SELF ADHESIVE TANK HEAT SHIELD 24"X24"
 Used by the KTM Factory Teams, this self adhesive tank shield reflects engine heat away from the fuel tank. This reduces the chance for vapor lock and restores power.



780.07.013.133 / 44 13 L

780.07.013.133 / 30 13 L

780.07.013.233 / 44 21,5 L

SX 07-10
 XC 08-10
 XC-W/EXC 08-11

13 L/21.5 L TANK
 Whether it is for an extended dual sport ride or a long distance race, the 21.5-liter or 13 liter capacity, slim-line tank cuts down on refueling stops – a big time-saving advantage over long distances. The sharp lines of the tank blends perfectly with the design of the bike. The tank allows the rider plenty of freedom of movement while the larger side flanks offer additional support for the legs when going into a corner. The design of the tank also helps keep the weight of the fuel centralized.

781.07.913.044 / 04
 XC-F/XCF-W/EXC 4-STROKE 12

781.07.913.144 / 04
 SX-F 250/350 11-12

551.07.913.044 / 04
 XC/XC-W 2-STROKE 12
 SX-F 450 11-12
 SX 2-STROKE 11-12

13 L TANK
 Without fuel pump and tank cap.



781.07.990.000
 1/4 TURN VERSION

FUEL FILTER
 This fuel filter is designed to fit into the 1/4 turn opening of your fuel tank. It helps prevent dirt and debris from entering in your fuel system. This filter will help prolong the life of the rest of the fuel filters and is highly recommended for EFI bikes.



WHEELS SMR



584.10.001.344 / 30
4,25 X 17"

REAR WHEEL
Black anodized rim, great for converting your EXC into a Supermoto. The sprocket carrier and damping rubbers are required for mounting. See your local dealer for the complete list of Supermoto conversion parts.

584.10.001.444 / 30
5 X 17"


REAR WHEEL
Black anodized rim, recommended for LC4 models. Sprocket carrier and damping rubbers required for mounting.

584.09.001.344 / 30
3,5 X 17" 20 MM

FRONT WHEEL
Black anodized rim, turn your older EXC into a Supermoto.

584.09.001.644 / 30
3,5 X 17" 26 MM

FRONT WHEEL
Black anodized rim, great for your EXC. See your local dealer for the complete list of Supermoto conversion parts.



611.09.099.000 17"

611.09.099.000 / 20 17"

RIM STICKER SET
Pre-cut sticker to sharpen the look of your front and rear rims.

812.09.201.044 / 30
3,5 X 17"

SM FRONT WHEEL Tubeless.
These black anodized wheels are specifically designed so you can run normal tires without using tubes. This saves unsprung weight making the bike lighter and easier to turn. Great for turning your EXC into a supermoto.

812.10.201.044 / 30
4,25 X 17"

SM REAR WHEEL Tubeless.
These black anodized wheels are specifically designed so you can run normal tires without using tubes. This saves unsprung weight making the bike lighter and easier to turn. Great for turning your EXC into a supermoto. Sprocket carrier 583.10.050.044 and dampening blocks 546.10.459.000 are required for mounting.



583.10.050.044

SPROCKET SUPPORT
For 17" rear wheels.



546.10.459.000

RUBBER DAMPING BLOCK
For 17" rear wheels with sprocket carrier.



U690.9852

DIGITAL TIRE WARMER
Temperature Adjustable with Solid State Micro-Processor and Digital Display. See actual tire temperature while the warmer runs. Most accurate available on the market. Temperature set point is changed with the push of a button – range up to 212 degrees F. Use higher temps to get ready to hit the track & lower temps for saving Heat Cycles in between track sessions. Safely heat rain tires and different compounds Soft carrying tote from Ogio. Foam Filled hard case for the digital controllers.



548.03.045.200

SX/XC/XC-W/EXC/SMR

CRASH PADS FRONT
Helps protect your forks in the event of a crash. Mounting possible on all models with 26 mm front axle diameter.



548.03.046.200

SX/XC/XC-W/EXC/SMR

CRASH PADS REAR
Helps protect your swingarm in the event of a crash.



548.03.047.000

FOOTPEG SLIDERS
Fiberglass reinforced plastic material; fits on all bikes with footrest numbers 590.03.041.250 right and 590.03.040.250 left.



WHEELS SMR



773.09.201.044 / 30
3,5 X 16,5" 26 MM

FRONT WHEEL
Black anodized rim, 16.5" wheel for better steering precision and sharper handling. Recommended for closed course racing

773.10.201.044 / 30
5 X 17"

REAR WHEEL
Black anodized rim, non dampened wheel. Recommended for close course racing.



SXS.03.540.400
20 > 26 MM

AXLE REDUCTION KIT
Also requires 20 mm front axle 503.09.081.200 and nut 503.09.082.100. This allows the fitting of a front wheel with an axle diameter of 20 mm onto forks designed to normally accept an axle of 26 mm.



765.09.099.000
18"/21"; 19"/21"

RIM STICKER SET
Pre-cut sticker to sharpen the look of your front and rear rims.



780.09.099.000
18"/21"; 19"/21"

RIM STICKER SET
Pre-cut sticker to sharpen the look of your front and rear rims.

573.10.001.044
5 X 17"

REAR WHEEL Silver.
Non dampened wheel. Recommended for close course racing.

584.09.001.744
3,5 X 16,5" 26 MM

FRONT WHEEL Silver.
Silver, 16.5" wheel for better steering precision and sharper handling. Recommended for closed course racing.



548.09.081.060

FRONT AXLE PULLER
For easy removal of the front wheel. For all front axles with a diameter of 26 mm.



U695.1439

VALVE CAP SET



U690.8840

SCHRADER VALVE STEM CAPS
Orange anodized cap with schrader valve removal tool.



548.10.001.544 SILVER HUB
2,15 X 18"

REAR WHEEL Silver EXCEL.

515.09.001.044 SILVER HUB
1,6 X 21"

FRONT WHEEL Silver EXCEL.



780.10.001.144/30 ENDURO
2,15 X 18"

773.10.001.144/30 MOTOCROSS
2,15 X 19"

REAR WHEEL Black EXCEL.
Light weight, durable wheels with CNC machined hubs.

780.09.001.144/30 ENDURO
1,6 X 21"

773.09.001.144/30 MOTOCROSS
1,6 X 21"

FRONT WHEEL Black EXCEL.
Light weight, durable wheels with CNC machined hubs.



WHEELS

772.10.001.044/04 ■
2,15 X 18"

772.10.001.144/04 ■
2,15 X 19"

772.10.001.044/30 ■
2,15 X 18"

772.10.001.144/30 ■
2,15 X 19"

FACTORY REAR WHEEL

Wheels exclusively developed for KTM PowerParts. 200 g lighter compared to stock EXC wheels, 32 spokes design with black anodized aluminum nipples. Features special made orange anodized rims. Black anodized machined from solid metal hubs. Ordering the complete set, you will get a special spoke wrench U690.9865 with the correct adjusted torque (4,3 Nm) and correct wrench size (6,5 mm and 6,2 mm) included.

772.09.001.044/04 ■
1,6 X 21"

772.09.001.044/30 ■
1,6 X 21"

FACTORY FRONT WHEEL

Wheels exclusively developed for KTM PowerParts. 200 g lighter compared to stock EXC wheels, 32 spokes design with black anodized aluminum nipples. Features special made orange anodized rims. Black anodized machined from solid metal hubs. Ordering the complete set, you will get a special spoke wrench U690.9865 with the correct adjusted torque (4,3 Nm) and correct wrench size (6,5 mm and 6,2 mm) included.

772.09.099.000/04 ■

772.09.099.000/30 ■
EXC/XC

FACTORY WHEEL SET 21 – 18"

The set includes front wheel 21" and rear wheel 18", plus spoke wrench with correct adjusted torque and correct wrench size.

772.09.099.100/04 ■

772.09.099.100/30 ■
SX

FACTORY WHEEL SET 21 – 19"

The set includes front wheel 21" and rear wheel 19", plus spoke wrench with correct adjusted torque and correct wrench size.



CHAINS

503.10.800.118/04 ■

780.10.167.118 ■
5/8 X 1/4

CHAIN Z RING


The Z-Ring compresses when assembled, creating a spring effect that produces a long lasting seal. The special Z-Ring section enhances chain flexibility and smooth operation. The conical section of the Z-Ring provides accurate positioning on the bushing. The lubricant is trapped between the plates and the lobes of the Z-Ring, keeping the Z-Ring lubricated and prolonging its life.

503.10.165.118/04 ■

503.10.165.118 ■
5/8 X 1/4

CHAIN MX

High strength, long wearing non o-ring MX chain.



780.04.070.100/04 ■

SX 07-12, XC/XC-W/EXC 08-12

CHAIN GUIDE ORANGE



548.03.040.000

SX/XC/XC-W/EXC/SMR

ADJUSTABLE FOOTREST

These footrests offer a wide range of adjustability. They can be tilted 5 degrees forward or backward, and they can be raised or lowered by 6 mm.

780.03.940.144

SX/XC/XC-W/EXC/SMR

PIVOT PEGZ

Pivot Pegz have a unique & precisely tuned spring loaded pivoting action that actively tracks with the motion of the rider's feet. Patented & race proven pivoting action improves grip, comfort & control while actively promoting correct riding technique & reducing fatigue. You can also reverse the eccentric peg mounts to lower the peg height by approximately 12 mm and move the pegs back by 5 mm. The foot platform surface has been increased to 60mm to help increase comfort and riding confidence.



548.03.040.050

FOR 548.03.040.000

ADJUSTABLE FOOTREST SLIDER SET



548.03.095.000

FOAM FOR FOOTREST

SPROCKETS



582.10.051.042 Z42

582.10.051.045 Z45

582.10.051.048 Z48

582.10.051.050 Z50

SX/EXC/SMR

STEEL SPROCKET

Great option for those looking for maximum longevity from a rear sprocket.

583.10.051.038 Z38

583.10.151.040 Z40

583.10.051.042 Z42

583.10.151.045 Z45

583.10.151.048 Z48

583.10.151.049 Z49

583.10.151.050 Z50

583.10.151.051 Z51

583.10.151.052 Z52

SX/EXC/SMR

REAR SPROCKET

Made from 7075-T6 aluminum, these light weight sprockets offer exceptional durability.



500.33.029.012 Z12

500.33.029.013 Z13

500.33.029.014 Z14

500.33.029.015 Z15

SX/EXC/SMR

FRONT SPROCKET



U695.1067 T41

U695.1068 T44

U695.1069 T48

U690.6815 T49

U695.1070 T50

U690.6816 T51

U695.1071 T52

RENTHAL SPROCKET

Made exclusively for KTM by Renthall, these orange anodized rear sprockets are used by the KTM Race Teams. Lightweight, durable and provide great performance.



584.10.051.038 / 04 Z38

584.10.051.040 / 04 Z40

584.10.051.042 / 04 Z42

584.10.051.044 / 04 Z44

584.10.051.046 / 04 Z46

584.10.051.048 / 04 Z48

584.10.051.049 / 04 Z49

584.10.051.050 / 04 Z50

584.10.051.051 / 04 Z51

584.10.051.052 / 04 Z52

SX/EXC/SMR

2K REAR SPROCKET ORANGE

The stealth sprocket has a steel outer ring and an aluminum inner component. Both sections are permanently joined by high strength rivets. Stealth sprockets typically last at least 3 times longer than other aluminum sprockets while still maintaining a good weight savings over a normal steel sprocket. By having a consistent longer wearing rear sprocket, your chain and front sprocket will last longer as well. If you are looking for the ultimate in quality and performance, this sprocket will meet your demand.

BRAKES

590.13.030.100
SX/XC/XC-W/EXC

BRAKE PADS FRONT
Organic with ceramic underlayer for heat retention, lower friction rate as sintered pads give you better control.



590.13.030.000
SX/XC/XC-W/EXC

BRAKE PADS FRONT
Sintered pads with a high friction rate – excellent braking performance especially in muddy or wet conditions.



548.13.090.100
SX/XC/XC-W/EXC/SMR 04-11

BRAKE PADS FRONT
Organic with ceramic under layer for heat retention, lower friction rate as sintered pads gives you a better controllability.



548.13.090.200
SX/XC/XC-W/EXC/SMR 04-11

BRAKE PADS REAR
Sintered pads with a high friction rate – excellent braking performance especially in muddy or wet conditions.



590.13.090.100
SX/EXC 98-03

BRAKE PADS REAR
Organic with ceramic underlayer for heat retention, lower friction rate as sintered pads give you better control.



590.13.090.000
SX/EXC 98-03

BRAKE PADS REAR
Sintered pads with a high friction rate – excellent braking performance especially in muddy or wet conditions.



BRAKES



594.13.001.000/04
SUPERMOTO

CNC-MACHINED HANDBRAKE CYLINDER
This Radial Master Cylinder (12 mm) was developed for Offroad and Supermoto bikes. It is very compact and very light (305 g). CNC Machined from solid Alloy, using a three bearing system, it delivers an exceptional braking feel. The short lever is easy to adjust and the overstroke of the piston is individually and accurately adjusted at the manufacturer. Fits perfectly with the 4-piston caliper 584.13.015.644/04 or the 6-piston caliper 594.13.015.044/04.



573.13.001.000
SUPERMOTO
RADIAL HAND BRAKE CYLINDER SUPERMOTO
16 mm piston. Brake fluid reservoir 545.13.030.044 and retaining bracket 573.13.001.050 are necessary for mounting.



SXS.09.125.512
SX/XC/XC-W/EXC 09-12
SXS FRONT BRAKE CALIPER
Thanks to the higher mechanical characteristics of the aluminum alloy and the extremely developed caliper profile, it's been possible to reach even higher caliper stiffness without any weight increase. This gives the brake system the better feeling and greater performance!



SXS.07.125.712 REAR
SX/XC/XC-W/EXC
SXS REAR BRAKE CALIPER
Thanks to the higher mechanical characteristics of the aluminum alloy and the extremely developed caliper profile, it's been possible to reach even higher caliper stiffness without any weight increase. This gives the brake system the better feeling and greater performance!



770.13.914.000
SX 09-12
XC/XC-W/EXC 10-12
SIX DAYS 09-12
BRAKE CALIPER SUPPORTS
To be used with 320 mm brake disc 583.09.060.000 and 2 piston Brembo caliper.



584.13.014.000
SX 04-08
EXC 04-09
BRAKE CALIPER SUPPORTS
To be used with 320 mm brake disc 583.09.060.000 and 2-piston Brembo caliper.



548.13.951.000
SX/XC/XC-W/EXC/SMR
STEP PLATE FOR BRAKE LEVER



548.12.063.044
SX/XC/XC-W/EXC
REAR BRAKE PEDAL SAFETY WIRE



584.13.015.644 / 04

SX/XC/XC-W/EXC

4-PISTON BRAKE CALIPER

CNC machined and orange anodized, this brake caliper will upgrade your front brake for street or Supermoto racing use. This caliper mounts to the bike using the stock caliper holes and can utilize the original brake hose and original master cylinder of SX/XC/EXC models. Brake disc 310 mm 586.09.060.000 is necessary. Only for use with 17" or 16,5" front wheel .



594.13.015.044 / 04

SX/XC/XC-W/EXC

6-PISTON BRAKE CALIPER

CNC machined and orange anodized, this brake caliper will provide you with serious stopping power for street or Supermoto racing use. This caliper mounts to the bike using the stock caliper holes. We recommend using the master cylinder 587.13.001.000 and the brake hose 594.13.011.000 (SX) or 800.13.011.000 (XC-W/EXC) . Brake disc 310 mm 586.09.060.000 is necessary. Only for use with 17" or 16,5" front wheel .



U695.1981

SX/XC/XC-W/EXC 04-12

REAR BRAKE RESERVOIR CAP

Orange rear brake reservoir cover adds the factory look to your KTM.



U690.7846

SX/XC/XC-W/EXC 04-12

ORANGE REAR BRAKE RESERVOIR EXTENDER

This item adds capacity to your rear brake reservoir. The cooling fins help dissipate heat and avoid brake fade.



770.13.920.000

SX 04-08
XC/XC-W/EXC 04-09

780.13.920.000

SX 09-10
XC/XC-W/EXC 10-12
SIX DAYS 09-12

BRAKE BLEEDER SCREW

Brake system bleeding made simple. By installing this new bleeder screw with special holding valve, you simply open the screw of the return-valve a half turn and pump the brake fluid through the brake system. The special holding valve prevents air getting sucked back into the system. The result: you don't need to have a second person to pump or open and close the bleeder screw. Changing the brake fluid or bleeding the system is done in seconds. Comes with anodized mud cap.

770.13.920.100

SX/XC/XC-W/EXC

BANJO BOLT WITH BLEEDER FUNCTION

For rear brake caliper.



BRAKING DISCS

548.09.060.300 260 MM
SX/XC/XC-W/EXC

WAVE BRAKE DISC
Full floating stainless steel disk. The floating allows the disk to expand when hot and also maintain even contact with the brake pad surface. Brake feel is more progressive and brake pads last longer.



U690.7872
SX 250/450 03
SX/XC/XC-W/EXC 04-12

BLACK REAR BRAKE ROTOR GUARD
Protects your rear brake disc from damaged caused by rocks and debris. Replaces stock brake caliper carrier.

586.09.060.000 310 MM

WAVE BRAKE DISC
For use with the 4 and 6 piston brake calipers.



548.10.060.200 220 MM
SX/XC/XC-W/EXC

WAVE BRAKE DISC



780.10.960.000 220 MM
SX/XC/XC-W/EXC

BRAKE DISK
Solid version for muddy track conditions, minimizes brake pad wear.



780.09.061.000/30
SX/XC/XC-W/EXC, UP TO 260 MM BRAKE DISC


FRONT BRAKE DISC GUARD
Light weight disc guard helps protect against debris. The unique fitting system with one central adapter takes the place of the axle spacer. This allows for a wheel change without removing the disc guard.



548.10.061.100/04 ■
SX/XC/XC-W/EXC 04-12

548.10.061.100/30 ■
SX/XC/XC-W/EXC 04-12

REAR BRAKE DISC GUARD
Protects your rear brake disc from damaged caused by rocks and debris.



COOLING SYSTEM

812.35.941.044
XC-W/EXC 4-STROKE 08-12

FAN
Helps keep the engine cool when riding in slow or tight conditions.



551.35.041.044
XC/XC-W 250/300 08-12

FAN
Mounting only possible in combination with 2 strokes with electric start.

590.35.041.044
EXC 4-STROKE 01-07

FAN
Helps keep the engine cool when riding in slow or tight conditions.



773.35.955.044
SX-F 450/505 07-12

780.35.955.044
XCF-W/EXC 400/450/530 08-11

770.35.955.044
SX-F/XC-F/XCF-W 250 07-12

WATER PUMP IMPELLER
The bigger waterpump will increase the flow rate to reduce the water temperature. Can be used on 450/505 SX-F only together with Akrapovic headers.



772.35.936.000
SX/XC/XC-F 07-12
XC-W/EXC 08-12


770.35.036.000
XC-F 250 07

RADIATOR PROTECTION
Perfect protection for the radiators, easy mounting. Cannot be used in conjunction with the 13 l tank.



548.35.080.000

RADIATOR MUD FOAM
For muddy conditions. Helps keep the radiators from getting clogged and overheating.



503.35.900.044
SX 125/144/150 07-10

773.35.900.044
SX-F 450/505 07-10

770.35.900.044
SX-F 250 07-10
XCF-W 07-11

780.35.900.044
XC-W/EXC 450/530 08-11

551.35.900.044
XC/XC-W 250/300 08-11

515.35.924.044
SX/XC 125/150 11-12

548.35.924.044
SX/XC 250 11-12

771.35.924.044
SX-F/XC-F 250 11-12

772.35.924.144
SX-F/XC-F 350 11-12

773.35.924.044
SX-F 450 11-12



ORANGE RADIATOR HOSES
These are the same SXS silicone hoses used by the factory race teams. Superior grade silicone and high manufacturing standards make these hoses the best available. Resistance to UV, water, ozone and oxygen.

ENGINE PROTECTION 2-STROKE



503.03.990.000

SX/XC 125/150 11-12
XC-W 200 12

551.03.990.000

SX/XC 250 11-12
XC-W 250/300 12

SKID PLATE

Made from high strength aluminum, effective protection for the frame and engine.



548.03.990.000

SX 250 11-12
XC/XC-W 250/300 12

515.03.990.000

SX 125/150 11-12
XC/XC-W 150/200 12

SKID PLATE

Made from high strength aluminum, effective protection for the frame and engine.



548.03.090.300

SX 250 07-10
XC 250/300 08-10
XC-W 250/300 08-11

503.03.090.400

SX 125/144/150 07-10
XC/XC-W 200 08-11

SKID PLATE

Made from high strength aluminum, effective protection for the frame and engine.



548.32.075.344

SX 250 07-10
XC-W 250/300 08-12

CASE GUARD

Effective protection for the clutch hydraulic cylinder.

ENGINE PROTECTION 2-STROKE

551.03.190.000

XC 250/300 08-10
XC-W 250/300 08-11

503.03.190.000

SX/XC 125/150 11-12

548.03.190.000

SX 250 11-12
XC/XC-W 250/300 12

SKID PLATE PLASTIC WITH QUICK-FASTENER



503.03.090.500

SX 125/150 07-10
XC/XC-W 150/200 08-11

SKID PLATE

Made from high strength aluminum,
effective protection for the frame and engine.



551.03.090.000

XC 250/300 06-10
XC-W 250/300 07-11

SKID PLATE

Made from high strength aluminum,
effective protection for the frame and engine.



ENGINE PROTECTION 4-STROKE



770.03.090.300
SX-F/XC-F 250 07-10
XCF-W 250 08-11

SKID PLATE
Made from high strength aluminum, effective protection for the frame and engine



780.03.090.000
XC-W/EXC 450/530 08-11

SKID PLATE
Made from high strength aluminum, effective protection for the frame and engine



774.03.990.000
SX-F/XC-F 250/350 11-12
XCF-W/EXC 250/350 12

781.03.990.000
XC-W/EXC 450/500 12

SKID PLATE
Made from high strength aluminum, effective protection for the frame and engine



772.03.990.000
SX-F/XC-F 250/350 11-12
XCF-W/EXC 250/350 12

773.03.990.000
SX-F 450 11-12

SKID PLATE
Made from high strength aluminum, effective protection for the frame and engine.



770.03.090.200
SX-F/XC-F 250 07-10
XCF-W 250 08-11

773.03.090.000
SX-F 450/505 07-10

SKID PLATE
Made from high strength aluminum, effective protection for the frame and engine.



770.03.190.000
XCF-W 250 08-11
SX-F 250 07-10

780.03.190.000
XCF-W/EXC 450/530 08-11

SKID PLATE PLASTIC WITH QUICK-FASTENER
High-strength plastic, light weight and durable. Easy removal for cleaning and maintenance.

ENGINE PROTECTION 4-STROKE



774.03.190.000

SX-F/XC-F 250/350 11-12
XCF-W/EXC 250/350 12

781.03.190.000

XC-W/EXC 450/500 12

SKID PLATE PLASTIC WITH QUICK-FASTENER
High-strength plastic, light weight and durable.
Easy removal for cleaning and maintenance.



773.32.075.044

SX-F 450/505 07-12

780.32.075.044

XCF-W/EXC 450/530 08-11

772.32.975.044

SX-F/XC-F 350 11-12

775.32.975.044

XCF-W 350 12

781.32.975.044

EXC 450/500 12

CASE GUARD

Effective protection for the clutch hydraulic cylinder.



770.32.075.244

SX-F/XC-F 250 07-12

XCF-W 250 08-12

CASE GUARD


Effective protection for the clutch hydraulic cylinder.



590.03.090.250

FOAM

To be mounted between engine and skid plate.
This allows less mud and debris to collect to help
better cool the engine.



AIR FILTER

590.06.021.000

SX/XC 98-10
XC-W/EXC 98-11

772.06.921.000

SX/XC/XC-F 11-12
XC-W/EXC 12



RAIN COVER FOR AIR FILTER
Recommended for very wet conditions.

SXS.08.450.700

SX-F 450/505 07-10
SMR 08-10

FACTORY AIR FILTER KIT
For better airflow.



590.06.015.000

SX/MXC/XC/EXC 2 STROKE 04-06
SX/MXC/XC/EXC 4 STROKE RFS 01-07
SX/XC 85/105 05-12

780.06.015.000

SX 07-10
XC/XC-W/EXC 08-11

772.06.015.000

SX/XC/XC-F 11-12
XC-W/EXC 12

AIR FILTER
High quality OEM replacement air filter.

780.06.003.050/04 ■

SX 07-10
XC-W/EXC/SMR 08-11

780.06.003.050/30 ■

SX/XC 07-10
XC-W/EXC/SMR 08-11

SXS AIRBOX COVER
For better airflow.

590.06.098.000

SX/MXC/EXC/SMR 98-05
SX/XC 2-STROKE 06
XC-W 2-STROKE 06-07
SX 85/105

590.06.098.100

SX/XC 07-10
XC-W/EXC 08-11

772.06.998.000/04

SX/XC 11-12
XC-W/EXC 12

AIR FILTER BOX COVER
Allows you to clean the air box without worrying about water in the intake.



AIR FILTER



590.06.022.000

SX/XC 98-10
XC-W/EXC 98-11

SAND COVER FOR AIR FILTER

Recommend for sand tracks. Should be mounted together with oiled air filter and dry dustcover 590.06.019.000.



590.06.019.000

SX/XC 98-10
XC-W/EXC 98-11

772.06.920.000

SX/XC/XC-F 11-12
XC-W/EXC 12

DUST COVER FOR AIR FILTER

This coarse foam pre-filter will act as an additional layer of protection and extend the service time between filter cleanings, recommended for very dusty conditions.

TRAVELING



601.12.092.070

HANDLEBAR SUPPORT
Universal application possibilities for mounting the GPS holder or roadbook.

583.12.078.000

TOOL BAG



600.12.073.000

ROADBOOK
Electrical drive incl. paper brake, manual operation possible, extra large paper roll: up to 80 A5 sheets (approx. 17 m), Waterproof, lighting included, opens and closes with no tools, housing dimensions: (L x W x H) 197 x 124 x 70 mm. **If you want mount the roadbook on the handlebar support 601.12.092.070 you also need mounting 600.12.173.070.**



780.12.090.000
EXC 08-12

ROADBOOK CARRIER
Turn your EXC into a Rally. Stable construction for racing use. For mounting the roadbook carrier 600.12.073.000 the wiring harness 590.12.090.060 and remote control 600.12.073.080 are also required.



620.02.903.000
SX/XC/XC-W/EXC

SUPPORT FOR GPS/PDA BAGS
For mounting on the stock handlebar supports!



780.03.923.050
XC-W/EXC 07-12

STAND PLATE BIG
Special for soft underground. Size: 75 x 50 mm.

620.02.903.050

GPS/PDA BAG SMALL
Dimensions: 140 x 90 x 35 mm. Helps keep navigation and communication devices dry and shock secured.



620.02.903.150

GPS/PDA BAG BIG
Dimensions: 170 x 130 x 35 mm. Helps keep navigation and communication devices dry and shock secured.





452.12.948.044

SX 50 MINI 09-12

452.12.948.144

SX 50 09-12

POWER REDUCTION KIT

This kit will reduce the power on the bike to make it more manageable for the novice rider. Completely reversible, this kit allows the bike to grow with the riders learning curve.

470.01.099.014/04 14 MM OFFSET

SX 85/105

470.01.099.020/04 20 MM OFFSET

SX 85/105

460.01.099.018/04 18 MM OFFSET

SX 65

02-11

460.01.999.022/04 22 MM OFFSET

SX 65

12

452.01.999.022/04 22 MM OFFSET

SX 50

12

452.01.999.122/04 22 MM OFFSET

SX 50 MINI

12

SXS.11.105.000

SX 85

03-12

105 SXS KIT

FACTORY TRIPLE CLAMP

CNC machined. Set includes pivot tube and lower bearing.



SXS FACTORY PIPE

The FMF-SXS pipe is the cornerstone of FMF's history. With 35 years of racing experience behind it, this pipe is the industry benchmark. Our philosophy is simple – give you more power. More at the crack of the throttle, more in the meaty part of the powerband and more over the top. FMF was also the first to introduce a nickel plated finish that would not rust. The SXS-FMF pipes are a lasting symbol of FMF's heritage and dedication to performance.

- + Broader, smoother powerband.
- + More tractable power, better throttle control.
- + 19 gauge carbon steel, durable nickel plated finish.
- + Includes O-rings.



SXS.08.085.500
SX 85/105

SXS FACTORY PIPE



SXS.08.050.500
50 LC SENIOR 01-08

SXS.09.050.500
SX 50 09-12

SXS FACTORY PIPE



SXS.08.065.500
SX/XC 65 02-08

SXS.11.065.500
SX 65 09-12

SXS FACTORY PIPE



SXS.08.065.550
SX/XC 65 02-08

SXS.09.065.550
SX 65 09-12

SXS FACTORY SILENCER

SXS FACTORY SILENCER

The FMF-SXS silencer is the benchmark of performance silencers. With it's extruded, anodized aluminum canister, integrated mount, formed stainless steel endcaps, mandrel bent stainless steel stinger and Hi-Flo engineering, the FMF-SXS silencer looks and functions like a true Factory exhaust. High quality packing is made to meet KTM standards for performance and durability.

- + Factory performance.
- + Hi-Flo technology.
- + Unbeatable durability.
- + Easily serviced for repacking.



SXS.08.050.550
50 LC SENIOR 01-08

SXS.09.050.550
SX 50 09-12

SXS FACTORY SILENCER

SXS.09.050.560
SX 50 09-12

SXS FACTORY SILENCER SA

Spark arrestor version.



SXS.08.085.550
SX 85/105

SXS FACTORY SILENCER

U690.6855
SX/XC 85/105

SXS FACTORY SILENCER SA

Spark arrestor version.



SXS.05.085.390
SX 85

SXS CDI UNIT

KTM offers a high performance CDI to be used in combination with the razor-sharp SXS exhaust on the KTM SX 85. This ignition control unit is similar to the unit used on our factory machines. The ignition timing was specially optimized for this exhaust system in extensive runs on the test-bench as well as numerous test-rides.



U690.7831
85/105 EXHAUST PIPE 470.05.007.100

CARBON PIPE GUARD



SXS.04.065.100
SX 65 TWIN SCREW 02-12

SXS.04.085.100
SX 85 TWIN SCREW

FACTORY START
Start like the factory pilots!

SXS.11.050.032
SX 50 09-12

SXS.12.065.032
SX 65 09-12

SXS.12.085.032
SX 85/105

SXS CNC IGNITION COVER
Durable CNC cover taken from the SXS bikes, orange anodized with laser etched logo.



U691.0020
SX/XC 65 02-12

AUTOMATIC CLUTCH
Give your little racer the extra advantage with the help of this automatic clutch. Riding with the z-Start Clutch removes the frustrations of clutch control and stalling that many new riders face. Working the clutch smoothly, especially at lower speeds or on hills is challenging for inexperienced riders. The z-Start Clutch manages the clutch operation perfectly so you can just focus on the fun of the ride! Adjustable RPM engagement allows for fine tuning. No permanent clutch modifications are necessary for installation.



590.06.098.000
SX 85/105

AIR FILTER BOX COVER
For cleaning of the airbox.



U690.9856
SX 65/85/105 05-11

BAR PAD
A perfect match with our team graphics kits, and provides great triple clamp area protection.



U690.9855
SX 50 99-08

BAR PAD
A perfect match with our team graphics kits, and provides great triple clamp area protection.



U695.0996
SX 50

U695.0997
SX 65/85/105

ORANGE RENTHAL BAR
Made exclusively for KTM these Renthal bars look and perform great. 785 bend. 642 mm length, 84 mm height, 65 mm rise, 44 mm sweep.



SXS.05.450.220

SX 85/105 03-12
SX 65 02-12

HYDRAULIC CLUTCH COVER
CNC machined. Fits on all Magura hydraulic clutches.



462.13.802.000/04
SX 65/85/105

FLEX BRAKE LEVER
Precision made lever designed to bend forward in a spill. They have a durable bushing assembly and adjustable lever position that will give the rider the best hand comfort. Orange anodized finish.



462.02.831.000/04
SX 65/85/105

462.02.831.100/04
SX 65 12

FLEX CLUTCH LEVER
Precision made lever designed to bend forward in a spill. They have a durable bushing assembly and adjustable lever position that will give the rider the best hand comfort. Orange anodized finish.



U695.1381
SX/XC 65/85

ALUMINUM HANDGUARDS PROBEND
The KTM Pro Bend handguards feature rugged aluminum bars that are shaped to give your hands and levers plenty of space. In addition, they have C shaped mounting brackets for easy routing of cables and hoses. The high impact plastic hand shields have a sleek profile that offers the perfect balance of protection and style.



U695.1982
SX 65/85/105

HANDBRAKE CYLINDER COVER
CNC machined.

470.02.079.000/04
SX 65/85/105

HANDGUARDS
With their split segments, the new KTM hand guards offer a lightweight and uncompromising racing look in the latest KTM design. Two-component injection moulding technology is used here for the first time, offering protection for your most important "operating controls" – your hands – in the most critical situations. The black mid-section provides maximum strength, ensuring optimum protection. The orange top and bottom segments are extremely flexible and can tolerate the roughest handling.



MINI

452.08.199.000
SX 50 09-12

462.08.199.000
SX 65 09-12

FACTORY GRAPHICS KIT



U690.7751
SX 85/105 06-12

U690.7752
SX 65 02-08

U690.7753
SX 50 02-08

USA FACTORY GRAPHICS KIT



462.03.094.000
SX 65 09-12

FRAME PROTECTION SET

Reliably prevents damage to the frame paintwork from dirt, crashes or the rider's boots.



462.08.998.000
SX 65 09-12

TANKPAD SET


452.08.088.000/20
SX 50 09-12

462.08.088.000/20
SX 65 09-12

470.08.088.000/20
SX 85/105

NUMBER PLATE BACKGROUNDS

3 parts.



461.03.090.000
SX/XC 65 02-08

SKID PLATE

Made from high strength aluminum, effective protection for the frame and engine.



470.03.090.100
SX/XC 85/105

SKID PLATE

Made from high strength aluminum, effective protection for the frame and engine.

452.03.090.000
SX 50 09-12

462.03.090.000
SX 65 09-12

SKID PLATE

Made from high strength aluminum, effective protection for the frame and engine.



SXS.11.050.044
SX 50 09-12

SXS CHAIN GUIDE ADJUSTMENT KIT

This billet aluminum four piece kit strengthens and enhances the rear drive on the SX 50's. The chain skeg protector moves the wear block to help lessen drag and improve the life of the wear block. The axle lock allows for quicker axle removal and the chain adjuster blocks are more robust, allowing them to stand up to the demands of hard core racing.



MINI



- 461.10.051.150/04** 250 SX 65
- 470.10.051.148/04** 248
- 470.10.051.149/04** 249
- 470.10.051.150/04** 250 SX 85

2K REAR SPROCKET ORANGE

This sprocket has steel teeth and an aluminium inner part. Both sections are permanently joined by high strength rivets. Stealth sprockets last at least 3 times longer than any other aluminium sprocket whilst it is half the weight of a normal steel sprocket. The steel teeth also offer greater life for your whole system. Not just the sprocket, but the chain and front sprocket as well. If you are looking for the ultimate in quality and performance, this sprocket will meet your demand.

- U695.1254** T44
- U695.1255** T45
- U695.1256** T46
- U695.1257** T47
- U695.1258** T48 SX 85
- U695.1250** T44
- U695.1251** T46
- U691.1024** T47
- U695.1252** T48
- U695.1253** T50 SX 65

RENTAL SPROCKET



461.10.165.112

1/2 X 1/4

CHAIN 65 SX



451.10.265.104

1/2 X 3/16 RACING

RACING CHAIN 50 SX
High-strength factory chain.



451.10.165.104

1/2 X 3/16

CHAIN 50 SX





590.32.000.200
XC 08-12

ANTIHOOPING CLUTCH

This anti-hopping clutch is a must for any ambitious rider. The APTC is a worldwide patented slipper clutch that features a unique hub consisting in two parts connected by an helix profile. This complex mechanism using angled layers for additional friction was developed to prevent clutch-slippage: under engine-load this system generates additional pressure on the clutch plates, but when over-running the clutch is able to slip. The power torque feature of the APTC guarantees riders maximum rear-wheel grip during acceleration and anti-hopping during downshifting. By maximizing rider control, the APTC allows for greater speeds going into and coming out of turns. This design, unlike all other slipper clutches on the market, makes it also much easier to pull the clutch lever (~ 50 % less pressure is required) and eliminates clutch lever vibration, helping the rider saving a lot of energy and sparing himself the discomfort of a cramped forearm.



SXS.03.540.550
XC 08-12

540 BIG BORE KIT
Full 540 cc makes for huge amounts of torque and even more top-end power.



SXS.07.450.235
SX 09-12

FACTORY CLUTCH COVER OUTSIDE
CNC machined clutch cover with factory look. 6 piece M6 x 16 screws 0984060163 for mounting necessary.



590.31.017.300

FACTORY MIXTURE CONTROL SCREW
Allows you to adjust the mixture without any additional tools.



773.35.955.044
SX 09-12

WATER PUMP IMPELLER
The bigger waterpump will increase the flow rate to reduce the water temperature.



830.10.151.037 Z37
830.10.151.038 Z38
830.10.151.039 Z39

STEEL SPROCKET



830.10.251.037 / 04 Z37
830.10.251.038 / 04 Z38
830.10.251.039 / 04 Z39

ALUMINUM REAR SPROCKET ORANGE



SXS.07.450.245
 SX 09-12

FACTORY RETAINING PLATE
 Add some "bling" to your KTM powerplant. Covers are constructed in aluminum and they look great! 1 piece.



750.38.041.100
 SX 09-12

FACTORY OIL FILTER COVER
 CNC machined.



U695.1157
 XC 08-12

FACTORY OIL FILTER COVER
 CNC machined.



SXS.05.450.200

FACTORY OIL PLUG
 CNC machined aluminium.



772.30.002.060 / 04
 SX 09-12

FACTORY IGNITION COVER PLUG



830.05.107.000
 XC 08-12

AKRAPOVIC HEADERS TITANIUM
 Mounting possible with factory silencer and original silencer.



835.05.183.000
 SX 09-12
 XC 08-12

FMF SILENCER
 The FMF SLIP-ON system is a starting level tuning component for ATV. It is an excellent combination of price and performance. Mounting only possible with original headers.



830.05.183.100
 SX 09-12
 XC 08-12

AKRAPOVIC SILENCER TITANIUM
 The Akrapovic system is designed for ATV riders who are looking for the finest available aftermarket exhaust systems and know how to get the most out of the increased performance on the track. Muffler inserts can be removed. Mounting possible with original headers and factory headers.



SXS.05.450.230
XC 08-09

HYDRAULIC CLUTCH COVER
CNC machined.



830.13.962.000

REAR BRAKE RESERVOIR CAP
Orange rear brake reservoir cover, adds the factory look to your KTM.



590.06.098.100

AIR FILTER BOX COVER
For cleaning of the airbox.



590.06.021.000

RAIN COVER FOR AIR FILTER
Recommended for very wet conditions.



590.06.019.000

DUST COVER FOR AIR FILTER
This coarse foam pre-filter will act as an additional layer of protection and extend the service time between filter cleanings, recommended for very dusty conditions.

SXS.09.450.210
SX 09-12

HYDRAULIC CLUTCH COVER
CNC machined.

830.13.001.100

HANDBRAKE CYLINDER COVER
CNC machined.



830.13.030.200 FRONT

830.13.090.200 REAR

SINTER BRAKE PADS
Sintered pads, high friction rate – excellent braking performance especially in muddy or wet conditions.



781.02.979.000/04 ■

781.02.979.000/28 ■

780.02.079.000/30 ■

HANDGUARDS
With their split segments, this handguards offer a light-weight and uncompromising racing look in the latest design. Two-component injection molding technology is used here for the first time, offering protection for your most important "operating controls" – your hands – in the most critical situations. The black mid-section provides maximum strength, ensuring optimum protection. The white or orange top and bottom segments are extremely flexible and can tolerate the roughest handling.

830.32.075.044
XC 08-12

CASE GUARD



830.11.974.090

TETHER SWITCH PROTECTION



830.03.094.000

NERF BARS
Without heel guard.

830.03.097.100

NERF BARS
With heel guard.



830.01.095.000
SX 10-12
XC 08-12

835.01.095.000
SX 09

FRONT SHOCK COVERS NEOPRENE
The perfect neoprene protection for your front shocks.

830.02.021.000

GRIP SET DUAL COMPOUND
KTM dual compound grips combine the durability of KTM Firm Compound Grips with the feel and absorption qualities of the KTM range of softer compound grips. Harder orange compound is used for the flange, inner sleeve and outer-end of the grip for maximum durability, where as softer black compounds are used for the outer diameter of the grip, which is in direct contact with the palm, fingers and thumb.



830.03.094.100

FRAME PROTECTION SET
Reliably prevents damage to the frame paintwork from dirt, crashes or the rider's boots.

830.03.004.000

FRONT BUMPER AND GRAB BAR INCLUDED



830.61.095.000 LEFT
XC 08-12

830.61.096.000 RIGHT
XC 08-12

A-ARM SKID PLATE

830.03.190.000
08-12

LONG SKID PLATE ALUMINUM



ATV



U690.8770

FACTORY GRAPHIC KIT
Full factory look. The same graphics used by KTM Factory Race Teams.



000.10.000.059

PLASTIC KIT BLACK
Following parts are included: graphic kit, front fender left and right, rear fender, front plastic part, interchangeable fenders black.



000.10.000.058

PLASTIC KIT WHITE
Following parts are included: graphic kit, front fender left and right, rear fender, front plastic part, interchangeable fenders black.

U690.8771 ■

U690.8772 □

GRAPHIC KIT



830.08.001.001/04 ■

830.08.001.001/30 ■

830.08.001.001/20 □

FRONT PLASTIC PART

830.08.010.000/04 ■

830.08.010.000/30 ■

830.08.010.000/20 □

FRONT FENDER LEFT

830.08.011.000/04 ■

830.08.011.000/30 ■

830.08.011.000/20 □

FRONT FENDER RIGHT

830.08.072.144/04 ■

830.08.072.144/30 ■

830.08.072.144/20 □

REAR FENDER

830.08.073.000/04 ■

830.08.073.000/30 ■

INTERCHANGEABLE FENDERS

Oversized, bolt on rear fenders for added protection.





SXS.11.250.700

SXS FUEL TANK CAP
Aluminum, CNC machined, including gasket.



U695.1010

FACTORY FUEL TANK CAP VENT
Without tankcap.



830.61.000.044 / 30

XC 08-12

A-ARMS LONG SET
With the long A-arm set you can enlarge the wheelbase from 1,115 mm to 1,265 mm.



U690.8828
10X5 SINGLE BEADLOCK FRONT WHEEL (4+1)

U690.8829
8X8 SINGLE BEADLOCK REAR WHEEL

U690.8830
9X8 SINGLE BEADLOCK REAR WHEEL

TOOLS

451.03.023.300
SX 50

470.03.020.000
SX 85 14"

546.03.020.000
SX 65
SX 85 16"
SX/EXC

PLUG IN STAND



780.29.155.100
SX/EXC/SMR

SX STAND SET
High quality poly resin stand developed for KTM offroad bikes. Including mud removal tool, exhaust plug and magnetic bolt pan.

780.29.155.000
SX/EXC/SMR

SX STAND
High quality poly resin stand developed for KTM offroad bikes.
Features:
- 2 different heights possible to use.
- Can be used as stand for the quickfill system.
- Storage shelf for front and rear axle.
- Fixing points for mud removal tool, exhaust plug, magnetic boltpan and some tools.

548.29.055.000
SX/EXC

592.29.055.000
SMR

LIFT STAND
In 2 different heights available:
SX/EXC: 310/400 mm, SMR: 240/340 mm
160 kg max. Load.



U695.1101

ALUMINUM BIKE STAND
This stand features a stamped top and base, oval uprights, round-cross braces, injection molded rubber traction top, and a nylon parts tray. Light weight and built to last.



780.12.006.000

PIT MAT
At many races already a must in the service zone! This mat helps finding fallen tools, bolts and other small parts when service your KTM in the pit box. Due to the special material mix it features a perfect protection against environmental pollution when quickfuel during the race. The KTM design brings perfect factory look to your service- and fuel zone. Dimensions: 160 x 100 cm.

U695.1277

FOLDING BIKE RAMP
This lightweight KTM bike ramp is the best one we have tested for daily use. This folding ramp is made of a high strength aluminum, and designed for reliable easy use. The ramp also incorporates a safety strap, when used properly, keeps the ramp from sliding forward when you are loading and unloading your bike. Total length is 6 ft 8 inches, folded its 3 ft 4 inches. Weighs less than 5.5 kg. 180 kg max. capacity.



TOOLS



548.29.035.000

MUD REMOVAL TOOL

Handle is sized to receive a spare grip (not included) you might have laying around.



595.12.030.100

EXHAUST PLUG

Keeps water out of the silencer when cleaning, for 40 – 62 mm inner diameters.



595.12.030.000

EXHAUST PLUG

Keeps water out of the silencer when cleaning, for 15 – 38 mm inner diameters.



590.29.050.000

FUNNEL

Specially designed to suit KTM fuel tanks. This funnel has an optimized diameter to suit two different filler necks and also has an integral groove for perfect ventilation during filling.



812.12.016.000

SX-F 250/350 11-12
EXC-F 250/350/450/500 12

WASH CAP FUEL HOSE

Plastic cap set that covers the quick disconnect fuel hoses on the fuel injected bikes when the fuel tank is removed.

U691.0071

MOTOGATE

Help keep everything in your truck bed secure with this rugged tail gate replacement. The coverage area is 18" x 54" with four adjustable straps so it will fit almost any truck bed. It also works great on box vans and trailers by securing gas cans, gear bags and tool boxes off to the side.



780.12.031.000

QUICKFILL SYSTEM

Specially developed for KTM tanks which are using the 1/4 turn Tankcaps. 15 L volume. 6–9 seconds for 5 liter, 18–20 seconds for 15 liter. The Motocross stand 780.29.155.000 can be used as stand. In some countries it is not allowed to use the drum for transportation of fuel or to store fuel indoors.

780.12.031.090

STAND FOR QUICKFILL SYSTEM

U695.1562

PLASTIC DRUM

KTM orange plastic drum for race purpose. Complete with flexible hose and twist-on cap. Approximately 18 liters volume. Should not be used for the transportation of fuel or to store fuel indoors.



U695.1188

CLEANING KIT

Everything you need to keep your KTM looking showroom clean. Kit includes a 5 gallon KTM bucket, mud scraper, 1 L spray bottle of Motorex Moto Clean 900, 15 mm x 38 mm exhaust plug, sponge and quick dry towel.



++++ FOR SAFE ++++
TRANSPORTATION



625.12.007.000

PROTECTIVE COVER INDOOR
Keep your bike show room clean with this sharp indoor cover. The inner-side has a soft lining to prevent scratches.

590.12.007.000

PROTECTIVE COVER OUTDOOR
Strong, lightweight bike cover that is UV and water resistant. The sewn in elastic band along the bottom keeps the cover secure to the bike. Great for travel, this cover folds up small into the supplied carrying case. Universal sizing fits most KTM's.



548.12.004.000

FACTORY TRANSPORT COVER
For sprockets of up to 50 teeth and brake discs from 220 to 260 mm.



610.12.016.000

BRAKE LOCK



548.29.094.000

FORK SUPPORT



U691.0046

SOFT TIE DOWNS WITH HOOKS
These tie-down straps have soft ties built in, so you don't scratch your bars. KTM orange/black with distinctive KTM Racing markings.

U691.0048

SOFT TIE DOWNS WITH RATCHET
This tie-down offers the additional weight limit of a ratchet and the convenience of a soft tie. Extra wide hooks allow you to secure your bike easily. Great for hauling heavier motorcycles and ATV's.

U691.0049

SOFT TIES
These tough KTM soft ties allow you to strap down your bike without scratching your handlebars or tank. Built from a durable ballistic nylon, they have a 615 lb weight capacity. Dimensions: 1.5" x 6'.



U690.8860

TOW STRAP
This 15' strap incorporates two heavy duty snap hooks for superior quality and strength.



U691.0047

SOFT TIE DOWNS WITH CLIPS
Our KTM Tie-Downs feature built-in soft tie loops that allow you to secure your KTM without scratching your handlebars. These extra wide webbing units feature a clip hook on one end, plus high quality friction lock fasteners. KTM Orange/black with distinctive KTM Racing markings.



SXS.05.125.600

CLEAN GRIP SET
Helps prevent oily grips.



TOOLS

584.29.074.100

BATTERY CHARGING AND TESTING UNIT

Test, charge and store batteries: a fully automatic and protective battery charger thanks to a programmed charging characteristic. The well arranged LC-Display shows the charge state, reverse polarity protection, short-circuit-protection, overload protection; absolutely simple and safe.



U695.1172

SX/XC/XC-W/EXC 00-10
XC-W/EXC 11

SHOCK SPRING PRELOAD ADJUSTER

An adjustment tool that allows you to adjust the preload without having to remove the shock.

U691.0066

SX/XC/XC-F 11-12
XC-W/EXC 12

SHOCK SPRING PRELOAD ADJUSTER

Updated design to work with the plastic preload collar.



U690.9807 CLOSED CARTRIDGE

SX/XC 07-12

SCREW CAP REMOVAL TOOL

This is the tool you need to remove and install the screw cap from your fork caps. Fits all KTM WP closed cartridge forks.



772.11.942.044

POWER SOCKET

The easy way to charge your bikes battery. Once mounted, the socket allows quick connection to the battery charger 584.29.074.100. Charging cable 601.29.074.050 is included.

U691.0021

SX/XC/XC-W/EXC 04-12

POWER VALVE ADJUSTMENT TOOL

The perfect tool to easily adjust your power valve properly.



U690.9801

BATTERY CHARGER

Battery charger with test function.
- Constant current charge.
- Constant voltage charge.
- Float charge.
Includes cable to attach to the battery with quick plug to be connected to the charger.



773.12.066.000

CLOSED CARTRIDGE

FORK AIR PUMP

That's the tool you need to fine-tune your closed cartridge forks. The fork-pump allows you to adjust the pressure of the compression damping very precisely according to your setup wishes.



U695.1017

ALL OPEN CARTRIDGE 48 MM FORKS

FORK CAP REMOVAL TOOL

Here's the perfect tool for removing the fork caps correctly. Designed to fit over the preload adjuster.



U695.1099

TIRE GAUGE

0-60 PSI; This accurate gauge is a must have for every KTM tool box. Features a stainless steel braided line, rubber coated exterior and a pressure release button.

773.12.030.000

FOOT-AIR PUMP

Mini-footpump with pressure gauge on the swivelling valve head that fits all prevalent valves. Integrated double-cylinder with pressure switch-over to high pressure. Max. 12 bar/160 psi. Height: approx. 170 mm folded together.



773.29.068.000

TIRE GAUGE DIGITAL

Comfortable and easy to use. Fits all currently available valves. Pressure display in bar or psi. Integrated pressure release valve for accurate pressure adjustment. Switchable display and work area lighting. Battery saver mode by means of automatic switch-off. Max. measurable pressure 11 bar/154 psi.



TOOLS



780.29.065.000 / 04

OIL FLASK

Perfect for 2 stroke riders on long rides or dual sport events. The small flask finds space in your tool bag or in the jacket. 250 ml volume, features scales for different mixing ratios (1:40/2.5%; 1:50/2%; 1:60/1.7%; 1:80/1.25%).



780.29.064.000 / 04

SPARK PLUG HOLDER

Offers space for keeping fuses.



780.29.063.000

MEASURING CUP 1,000 ML

Volume 1 l. Features scales for volume and different mixing ratios. Perfect for oil change on your bike and for preparing 2-stroke mixtures in the can. Easy handling due ergonomic form.



U695.1045

TIRE IRON SET

These attractive, orange anodized alloy Tire Irons are the perfect item for your tool cabinet, as well as the tool bag you take on off-roading. Super strong, aluminum, lightweight design built in 27 mm, 13 mm, and 10 mm handle end box wrenches and a wide spoon end for tire repairs.

510.12.093.000

TIRE IRON LONG



510.12.092.000

TIRE IRON SMALL



000.29.098.200

SCREW DRIVER SET

High quality 5 piece screw driver set in KTM design.



548.12.016.000

SAFETY WIRE

Stainless Steel type 302/304 ASTM wire. .025 diameter. 1 lb.



U690.7854

WIRE PLIERS

An essential tool for installing your grips and safety wiring (548.12.016.000) your bikes for racing events. A high quality tool that will provide you with years of service.



780.29.062.000 / 30

MAGNETIC BOLT PAN
With magnetic application,
no more lost screws!



U695.1409

MAGNETIC BOLT PAN
An easy way to keep track of those bolts when maintaining
your KTM. Features a strong magnetic bottom with a
rubber coating.



000.29.999.000

SX 07-12
XC/XC-W/EXC 08-12

BOLT KIT

All the most important hardware is included for SX/XC/XC-W/EXC models. Great for the trailer or garage. Less expensive than buying parts individually.

583.10.025.000

AXLE GAUGE

U695.1126

SPOKE TORQUE WRENCH

Avoid the common problem of overtightening your spokes. This wrench is preset (5.4 Nm) and lets you know when your spokes are properly tensioned. 6.8 mm width.

579.29.020.000

SX/XC/XC-W/EXC/SMR

CHAIN BREAKER

U695.1130

ORANGE CABLE TIES

100 pieces, length: 20 cm.



TOOLS

510.12.091.000

SPOKE WRENCH
6 and 7 mm.



000.29.020.000

SX 50/65

SPOKE WRENCH
5 and 5.6 mm.



590.29.041.000

0.10; 0.12; 0.15; 0.20; 0.25.

590.29.041.100

0.05; 0.10; 0.15; 0.20; 0.25; 0.30; 0.35.

FEELER GAUGES

503.05.017.000/04

SPRING HOOK
Easy spring removal.



000.29.090.000

SAG SCALE
Simplifies shock preload measuring. Rigid folding design fits in most tool boxes.

600.12.016.000

HIGH SECURITY U-LOCK
Double closing U-type lock. Hardened steel body. 7 pin tubular lock, drill protected, complies with best standards. 250,000 key variations, increased resistance to picking, supplied with 2 keys. Rotating PVC lock protector. Hardened steel shackle, resists hacksaws and bolt cutters. Corrosion protection by electrical deposit treatment, PVC coated. Tensile strength superior to 12 tons.



000.29.098.000

TOOLBOX

With this 1/4" drive tool box small jobs on your KTM can be done quickly and efficiently. Whether it's changing the plastic parts or carrying out an oil change on your KTM, you'll find the right tool here. 38-item, orange tool box; high-quality chrome-vanadium tools. Ratchet (with locking device), clamping bolt, two extensions and socket wrench. Nut spinners from 4 to 14; Allen keys from 3 to 8; Phillips, slotted, as well as Torx bits.



000.29.098.100

TOOLBOX

With this 3/8" drive tool box small jobs on your KTM can be done quickly and efficiently. Whether it's changing the plastic parts or carrying out an oil change on your KTM, you'll find the right tool here. 60-item, orange tool box; high-quality chrome-vanadium tools. Ratchet (with locking device), clamping bolt, two extensions and socket wrench. Nut spinners from 6 to 24; Allen keys from 3 to 10; Phillips, slotted, as well as Torx bits from 15 to 55.